

COUNTY CHAVES		FIELD Cato		STATE NM 30-005-20269	
OPR SHELL OIL CO.		MAP			
WD-1 Shell - Federal					
Sec 35, T-8-S, R-30-E				CO-ORD	
330' FNL, 990' FEL of Sec					
Re-Spd 10-31-70					
Re-Cmp 11-17-70		CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
3 5/8" at 397' w/250 sx					
5 1/2" at 3770' w/1350 sx					
LOGS EL GR RA IND HC A					
		TD 3770'; PBD 3720'			
(San Andres) Perfs 3580-3680' WATER DISPOSAL WELL.					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	3765'	TYPE	RT
DATE				

F.R. 11-10-70; Opr's Elev. 4185' RKB
PD 3765' RT (San Andres) WATER DISPOSAL WELL
(Orig. Eastland Drilg. Co., P&A 9-28-68, OTD 3765')
11-9-70 TD 3770'; WOC
Deepened from 3765' to 3770'
Ran 5 1/2" Casing
11-16-70 TD 3770'; PBD 3720'; Prep Complete
Perf @ 3580', 3584', 3608', 3610', 3612', 3620',
3622', 3624', 3625', 3626', 3637', 3642', 3651',
3667', 3671', 3674', 3677', 3680' w/1 SPI
Acid (3580-3680') 2400 gals
Frac (3580-3680') 15,120 gals wtr + 7560# sd
11-23-70 TD 3770'; PBD 3720'; COMPLETE
11-26-70 COMPLETION REPORTED

COUNTY	CHAVES	FIELD	Cato	STATE	NM 30-005-20259
OPR	EASTLAND DRIG. CO., THE			MAP	
	1 Shell-Federal				
	Sec. 35, T-8-S, R-30-E			CO-ORD	
	330' FNL, 990' FEL of Sec.				
	Spd 9-15-68				
	Cmp 9-28-68			CLASS	E
CSG & SX - TUBING	FORMATION	DATUM	FORMATION	DATUM	
8 5/8" 397' 250					
LOGS EL GR RA IND HC A					
	TD 3765'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Co. Rig	PROP DEPTH 3700'	TYPE RT
DATE		

F.R. 8-29-68; Elev. 4185' KB
 PD 3700' - SA
 Contr. - Co. Rig.
 9-5-68 AMEND TO ADD REFERENCE NUMBER
 9-16-68 Drlg. 248'.
 9-24-68 Drlg. 3478'.
 10-1-68 TD 3765', PLUGGED & ABANDONED
 DST 3590-3634', open 2 hrs,
 rec 2220' salty sul wtr,
 FP 425-1131#, 1 hr FSIP 1142#,
 HP 2010#.

CHAVES Cato NM Sec. 35-88-30E
EASTLAND DRILG. CO., THE #1 Shell-Federal Page #2

10-1-68

Cont.

DST 3650-3700', open 1 hr,
rec 90' mud, + 90' salty sul wtr,
30 min ISIP 1184#, FP 32-117#,
1 hr FSIP 1100#, HP 2043#.

10-14-68

TD 3765', COMPLETION REPORTED

LOG: Rust 1130', Yates 1680', SA 2860'.