

COUNTY CHAVES FIELD Wildcat STATE NM 30-005-20287

OPR PAN AMERICAN PET. CORP. MAP

1 State "DP"

Sec 14, T-12-S, R-31-E

CO-ORD

660' FSL, 660' FWL of Sec.

Spd 4-9-69

CLASS

Cmp 4-23-69

CSG & SX - TUBING

8 5/8" at 323' w/200 sx

FORMATION

DATUM

FORMATION

DATUM

LOGS EL GR RA IND HC A

TD 4403'

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus

PROP DEPTH 4300'

TYPE

DATE

F.R. 4-15-69

PD 4300' (San Andres)

Contractor - Cactus

4-14-69

TD 3017'; Prep DST

Cored 2943-72', rec 27½' being:

10' anhy & salt

7' sd & salt

4½' salt

1/2' anhy

4' sd w/salt stringers, NS

1½' anhy

Cored 2972-3017', rec 44' being:

7.4' anhy

.3' dns dolo, NS

3.9' sd, sli bldg oil

.9' dns dolo, NS

CHAVES Wildcat NM Sec 14, T12S, R31E
PAN AMERICAN PET. CORP. 1 State "DP" Page #2

4-14-69

Continued

14½' sd, sli bldg oil from 2984½-95.2',

2' anhy

6' sd, NS

3' salt

5.8' sd, NS

.4' anhy

4-21-69

TD 4260'; Prep Drill

DST 2978-3017', open 1 hr 30 min, rec 5' DM,

30 min ISIP 23#, FP 23-23#, 1 hr 30 min FSIP

23#, HP 1668-1668#

Cored 4210-60', rec 48' anhy-dolo, vert frags,

sli oil stain & sul odor throughout

4-28-69

TD 4403'; PLUGGED & ABANDONED

4-28-69

Continued

SP DST 4190-4250', open 4 hrs, rec 300' mud +

344' salty sul wtr, 2 hr ISIP 1533#, FP 61-335#,

3 hr FSIP 1533#, HP 2408-2392#

LOG TOPS: Yates 2239', Queen 2960', San Andres

3575', Pi Zone 4075'

5-1-69

COMPLETION REPORTED

Pen Am

ST DT #1 14-12-31

44~~03~~ TD TSA 3565

75 SX @ TSA

25 SX BS

25 SX TS

25 " in & out

10 cop

4-22-69