

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Phillips Petroleum Company	8. Farm or Lease Name Marley "A"
3. Address of Operator Room B-2, Phillips Building, Odessa, Texas 79760	9. Well No. 1
4. Location of Well UNIT LETTER <u>P</u> <u>660</u> FEET FROM THE <u>south</u> LINE AND <u>660</u> FEET FROM THE <u>east</u> LINE, SECTION <u>3</u> TOWNSHIP <u>11-S</u> RANGE <u>31-E</u> NMPM.	10. Field and Pool, or Wildcat Tower San Andres
15. Elevation (Show whether DF, RT, GR, etc.) 4506' Gr.	12. County Chaves

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose P&A: Pull rods, pump and both strings of tubing. Run one tbg string, set in Baker pkr at 4308'. Pump 150 sx Class "H" cmt below pkr to cover perfs 4344-4800'. Load hole between plugs; pull tbg to 4220' and spot 50 sx Class "H" cmt to cover perfs 4148-65' with TOC at 4040'. Cut and pull approximately 2500 feet of 8-5/8" csg. Spot 85 sx cmt across 8-5/8" csg cut w/bottom 50' below cut and top 50' above cut. Spot 100 sx cmt from 1610-1500', 100 sx cmt across 13-3/8" csg shoe at 375' with TOC at 250'. Spot 10 sx cmt plug at surface. Weld on well marker. P & A.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. E. Chesley TITLE Reservoir Engineer DATE 6-28-71
APPROVED BY Leslie A. Clements TITLE OIL & GAS INSPECTOR DATE JUN 30 1971

CONDITIONS OF APPROVAL, IF ANY:

cc: Atlantic Richfield, Attn: Bryar Buck, Box 1610, Midland, Texas 79701

RECEIVED

JUN 24 1977

OIL CONSERVATION CLERK.
NORMAN, L. L.