


COUNTY	CHAVES	FIELD	Wildcat	STATENM	30-005-20360
OPR	COQUINA OIL CORP.				MAP
	1 USSR - State				
	Sec 2, T-12-S, R-31-E				CO-ORD
	1980' FNL, 660' FWL of Sec				
	Spd 11-17-70				
	Cmp 12-2-70	CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
8 5/8" at 352' w/200 sx.					
LOGS EL GR RA IND HC A					
	TD 3535'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Nunn
DATE PROP DEPTH 3700' TYPE RT

11-23-70 F.R. 11-17-70
11-30-70 PD 3700' RT (San Andres)
Contractor - Nunn
TD 2970'; Prep DST
TD 3535'; Prep P&A
Cored 2930-70', rec 39' red sdy shale, anhy
w/show of oil
DST 2938-70', open 1 hr 30 min, rec 279'
salt wtr, 1 hr ISIP 979#, FP 86-302#,
1 hr 30 min FSIP 973#
12-7-70 TD 3535'; PLUGGED & ABANDONED
LOG TOPS: Anhydrite 1431', Yates 2225',
Queen 2948', San Andres 3509'
12-10-70 COMPLETION REPORTED



Coguard oil co.

USSR St. #1 - W.

1980/N - 460/W - 2-12-31

Verbal

11-25-70

JWR

TD. 3600'

8 $\frac{5}{8}$ @ 352 circ

- cement -

25 sh at T.D. (will cover top of S.A.)

25 sh at Top Queen (Fluid in Queen)

25 sh at Base salt

25 sh at Top salt

25 sh at shoe of 8 $\frac{5}{8}$

10 at surface - make & mud
