

N. M. OIL CONS. COMMISS.
P. O. BOX 1980
HOBBS, NEW MEXICO 88240

DEKALB
ENERGY

January 18, 1990

Bureau of Land Management
Roswell Resource Area
P. O. Drawer 1857
Roswell, New Mexico 88202

Re: NTL-2B

Dear Sir:

In compliance with the above order, DEKALB Energy Company respectfully requests approval of disposal operations as follows:

Lease: Beall Federal, NM 0557565

Location: SWNE Sec. 17, T-11S, R-30E,
Chaves County, New Mexico.

Daily quantity of water: Less than one barrel per day


Source of water: Sand Ranch Atoka, South. Water analysis attached.

Method of disposal: The water from the production separator will be accumulated in a 250 barrel open top fiberglass tank with netting. The tank will be painted to BLM specifications. The water will be trucked to an approved disposal system.

Very Truly Yours,

R. L. Denney

R. L. Denney
Chief Production Clerk



DEKALB Energy Company
2626 J.B. Sheppard Pky, Suite A-200
Odessa, Texas 79761
(915) 363-7007
(915) 363-0013 FAX

HALLIBURTON DIVISION LABORATORY

HALLIBURTON SERVICES

ARTESIA DISTRICT

LABORATORY REPORT

No. W605 & W606-89

TO Mr. Leon StodayDate November 22, 1989DeKalb Energy800 CentralOdessa, TX 79761

This report is the property of Halliburton Services and neither it nor any part thereof nor a copy thereof is to be published or disclosed without first securing the express written approval of Laboratory Management. It may however, be used in the course of regular business operations by any person or persons and employees thereof receiving such report from Halliburton Services.

Submitted by _____ Date Rec. November 22, 1989

Well No. _____ Depth _____ Formation _____

Field _____ County _____ Source _____ Flowline _____

	<u>BEALL FEDERAL #1</u>	<u>DHV STATE #1</u>
Resistivity	<u>0.083 @ 70°</u>	<u>0.142 @ 70°</u>
Specific Gravity ..	<u>1.0627 @ 70°</u>	<u>1.0365 @ 70°</u>
pH	<u>6.3</u>	<u>6.9</u>
Calcium	<u>6,957</u>	<u>2,609</u>
Magnesium	<u>1,582</u>	<u>1,054</u>
Chlorides	<u>53,000</u>	<u>32,000</u>
Sulfates	<u>1,500</u>	<u>500</u>
Bicarbonates	<u>305</u>	<u>488</u>
Soluble Iron	<u>Greater than 500</u>	<u>0</u>
-----	-----	-----
-----	-----	-----
-----	-----	-----

Remarks:

Eric Jacobson
Respectfully submitted


Analyst: Eric Jacobson - EIT

HALLIBURTON SERVICES

NOTICE:

This report is for information only and the content is limited to the sample described. Halliburton makes no warranties, express or implied, as to the accuracy of the contents or results. Any user of this report agrees Halliburton shall not be liable for any loss or damages, regardless of cause, including any act or omission of Halliburton, resulting from the use hereof.

DEKALB Energy Company
Beall Federal
SW/NE, Sec 17, T11S, R30E
Chaves Co., NM 0557565



Site Security Plan location:
2626 JB Shepperd Pky
Suite A200
Odessa, Texas 79761

RECEIVED

JAN 26 1990

OCB
HOBBS 11/11/89