na com com . scapission

6. IF

Form Approved. Budget Bureau No. 42-R1424

ARTESIA, OFFICE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

5. LEASE NM-15895

8. FARM OR LEASE NAME Carson Federal Com

	111. 15075
ME	INDIAN ALLOTTEE OF TRIPE NAM
ME	INDIAN, ALLOTTEE OR TRIBE NAM

		RECEIVED
_	LINUT ACDEEMENT NAME	<u> </u>

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
---------------	---------	-----	---------	----	-------

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) $\,$

The state of the s
1. oil gas well other
2. NAME OF OPERATOR
Maralo, Inc.
3. ADDRESS OF OPERATOR
P. O. Box 832, Midland, Texas 79702 0832
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17
below.)
AT SURFACE: 660' FSL & 1980' FWL of Sec. 3

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,

12. COUNTY OR PARISH 13. STATE Chaves New Mexico

14. API NO.

9. WELL NO.

U.A.

15. ELEVATIONS (SHOW DF, KDB, AND WD) 4293 GR

REQUEST FOR APPROVAL	ro:
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	
PULL OR ALTER CASING	
MULTIPLE COMPLETE	
CHANGE ZONES	
ABANDON*	
(other) Soud & set ca	sin

REPORT, OR OTHER DATA

SUBSEQUENT REPORT OF:

bort results of multiple completion or zone inge on Form 9-330.)

OIL & GAS

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-25-82 Began re-entry. Tstd BOP stack; drld. TC plug. Picked up 16 6½" drill collars & pld out of hole. tested BOP stack - ok.

2-05-82 Ran 103 jts. 17# N-80 + 1- 18' Locator jt. + 144 jts. 17# K-55 (total 248 jts.) $5\frac{1}{2}$ " csg. (10,225'). Set casing @ 10,268'.

2-06-82 Cemented w/300 sx Class "H" cmt. w/.6% Halad 22A + 6# salt/sack. Plug dwn 11:50 a.m. 2-5-82. Released rig 5:00 p.m. 2-5-82. Ran temp. survey. TOC 8410'

Subsurface Safety Valve: Manu. and Type			Set @	Ft.
18. I hereby certify that the foregoing is t	rue and correct	DATE	3-5-82	
	(This space for Federal or State office	use)		
APPROVED BY	TITLE	DATE _	ACCEPTED FOR R	ECOKU

*See Instructions on Reverse Side

POSWELL, NEW MEXIT