

NM OIL CONS. COMMISSION
UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
NEW MEXICO
88210Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. NM-13418	
2. NAME OF OPERATOR Flag-Redfern Oil Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box 2280, Midland, Texas 79702		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State Requirements. See also space 17 below.) At surface 660' FSL and 1980' FWL of Sec. 26, T-7-S, R-31-E		8. FARM OR LEASE NAME Amoco Federal	
14. PERMIT NO.		9. WELL NO. 5	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4371 GR		10. FIELD AND POOL, OR WILDCAT Tom-Tom (San Andres)	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26, T-7-S, R-31-E	
		12. COUNTY OR PARISH Chaves	
		13. STATE New Mexico	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
(Other) ☐PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☒
SHOOTING OR ACIDIZING ☒
(Other) ☐REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 9/18/80 Rigged up Well Units, Inc. CRC ran correlation log and perforated at 3977' 82, 83, 98, 99, 4002, 04, 05, 10, 11, 12, 16, 20, 22, 24, 26, 27, 28, 29, 30 32 with 1 shot per foot. Picked up tubing and TIH to 4034'.
- 9/19/80 Acidized well with 6000 gals 20% NE acid.
- 10/22/80 Displaced hole with 2% KCL, H₂O. Set OTIS model MH at 3880'. Treated with 20,000# 2% KCL, L-3 Gel, 18,000# 20/40, 12,000# Mesh. BD Press 1000 psig. 1st stage - 2200 psig at 6 BPM, Block - 300# Rock Salt, 2nd stage - 2700 spig at 6 BPM, ISIP 1800, 15" SIP 1800 psi. Total load 533 bbls water.
- 10/23/80 Swabbed 9 hours. Rec. 202 BW.
- 10/24/80 Swabbed well 9 hours. Rec. 107 BLW. No show of oil. Slight gas blow. Swabbing from SN with approximately 400' Fluid-in-hole on each swab run.
- 10/25/80 14 HR SITP 50 psig. Swabbed 9 hours. Rec. 85 BW, no show of oil. Swabbing from SN.
- 10/26/80 15 HR SITP 100 psig. Swabbed 2 hours. Rec. 14 BW, No show. Sand line Sheave broke. Down for repairs

Continued next page.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Engineer

DATE 3/3/82

(This space for Federal or State office use)

ROGER A. CHAPMAN

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

MAR 25 1982
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO
See Instructions on Reverse Side

RECEIVED

APR 5 1982

C.C.D.
HOBBS OFFICE

10/28/80 Swabbed 6 hours. Rec. 71 BW. No show of oil.

10/29/80 Swabbed 4 hours. Rec. 41 BW. No show of oil. Rigged down Completion unit. Shut well in.

RECEIVED

APR 5 1982

O.C.D.
HOBBS OFFICE