

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS

Do not use this form for proposals to drill or to deepen or re-enter a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Prairie Sun, Inc.

3. Address and Telephone No.

P.O. Box 8280 Roswell, NM 88202-8280 505-622-7355

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FNL & 1980' FWL
Sec 6-T10S-R30E

5. Lease Designation and Serial No.
NMNM96851

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Morgan Fed. #1

9. API Well No.

30-005-20667

10. Field and Pool, or Exploratory Area

Many Gates Morrow

11. County or Parish, State

Chaves County, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Prairie Sun, Inc. proposes to plug and abandon the above well. This well has not produced in the past year. The pipeline company that was previously gathering gas in the area has ceased its operations. No plans for re-completion exist at this time. The 5 1/2" casing has cement circulated to surface, as well as the 5 5/8" intermediate and 13 3/8" surface. The well will be plugged as follows:

Plug #1: 25 sx. Class H cement from PBTD and across Morrow Perforations. Load hole with water containing 25#/bbl gel.

Plug #2: 20 sx. Class H cement 7600-7450'

Plug #3: 20 sx. Class H cement 5100-4950'

Plug #4: 20 sx. Class H cement 2800-2650'

Plug #5: 15 sx. Class H cement 150' to surface.

Install regulation dry hole marker. No casing to be recovered. Remove anchors, tank battery and reclaim surface.

20 sx. Cement F/1465-1565'

14. I hereby certify that the foregoing is true and correct

Signed David R. Glass Title Agent

Date 04/14/00

(This space for Federal or State office use)

Approved by (ORIG SGD.) DAVID R. GLASS
Conditions of approval, if any:

Title PETROLEUM ENGINEER

Date AUG 09 2000

SEE ATTACHED FOR

Title 18 U.S.C. Section 901 makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

RECEIVED

AUG 08 2000

BLM
ROSWELL, NM

Received
Hobbs
001