

W. M. OIL CONS. COMMISSION

P. O. BOX 1980

HOBBS, NEW MEXICO 88240

Form 3160-5
(June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

YATES PETROLEUM CORPORATION

3. Address and Telephone No.

105 S. 4th Street, Artesia, NM 88210 (505) 748-1471

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec. 34-T7S-R31E

5. Lease Designation and Serial No.

NM-046153A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Western Reserve 34 Fed. Tank Batt

9. API Well No.

30005270800

10. Field and Pool, or Exploratory Area

Tom Tom

11. County or Parish, State

Chaves, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION


- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☒ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Yates Petroleum Corporation is submitting application for produced water from the above well pursuant to NTL-2B, Section II, and requests your approval. The well produces approximately 59 bbls of water per day from the Tom Tom formation. The water is stored in a 210 barrel stock tank and transported by Kenna Water Sales to the Champlin UL Fed. #1 SWD permit #R-7130. (12-85-31E)

A water analysis is attached.



14. I hereby certify that the foregoing is true and correct

Signed Shannon Conzland

Title Production Clerk


Date 10-1-93

(This space for Federal or State office use)

Approved by _____

Title _____

Conditions of approval, if any:



Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

TRETOLI E

Chemicals and Services

PETROLITE

16010 Barker's Point Lane • Houston, Texas 77079
713 558-5200 • Telex: 4620346 • FAX: 713 589-4737

Reply to: P.O. Box FF
Artesia, New Mexico 88210
(505) 746-3588 Phone
(505) 746-3580 Fax

RECEIVED

37 AM '93

OCT 05 1993

ARTEZIA, NEW MEXICO

WATER ANALYSIS REPORT

Company : YATES PETROLEUM
Address : ARTESIA, NEW MEXICO
Lease : WESTERN RESOURCES
Well : ST 34 1-4
Sample Pt. : UNKNOWN

Date : 10/01/93
Date Sampled : 10/01/93
Analysis No. : 326

ANALYSIS		mg/L		* meq/L	
-----		----		-----	
1.	pH	4.8			
2.	H ₂ S	80 PPM			
3.	Specific Gravity	1.185			
4.	Total Dissolved Solids		283510.4		
5.	Suspended Solids		NR		
6.	Dissolved Oxygen		NR		
7.	Dissolved CO ₂		NR		
8.	Oil In Water		NR		
9.	Phenolphthalein Alkalinity (CaCO ₃)				
10.	Methyl Orange Alkalinity (CaCO ₃)				
11.	Bicarbonate	HCO ₃	1.2	HCO ₃	0.0
12.	Chloride	Cl	180837.0	Cl	5101.2
13.	Sulfate	SO ₄	50.0	SO ₄	1.0
14.	Calcium	Ca	36100.0	Ca	1801.4
15.	Magnesium	Mg	10505.1	Mg	864.3
16.	Sodium (calculated)	Na	56017.1	Na	2436.6
17.	Iron	Fe	NR		
18.	Barium	Ba	NR		
19.	Strontium	Sr	NR		
20.	Total Hardness (CaCO ₃)		133403.0		

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter

1801	*Ca <-----	*HCO ₃	0
864	*/----->		
	*Mg ----->	*SO ₄	1
	<-----/		
2437	*Na ----->	*Cl	5101

Saturation Values Dist. Water 20 C

CaCO₃ 13 mg/L
CaSO₄ * 2H₂O 2090 mg/L
BaSO₄ 2.4 mg/L

Compound	Equiv wt	X meq/L	= mg/L
Ca (HCO ₃) ₂	81.0	0.0	2
CaSO ₄	68.1	1.0	71
CaCl ₂	55.5	1800.3	99901
Mg (HCO ₃) ₂	73.2		
MgSO ₄	60.2		
MgCl ₂	47.6	864.3	41143
NaHCO ₃	84.0		
Na ₂ SO ₄	71.0		
NaCl	58.4	2436.6	142394

REMARKS:

----- A. MILLER / FILE

Petrolite Oilfield Chemicals Group

Respectfully submitted,
STEVE TIGERT

PETROLITE

RECEIVED

OCT 10 10 37 AM '93

SCALE TENDENCY REPORT

Company	: YATES PETROLEUM	Date	: 10/01/93
Address	: ARTESIA, NEW MEXICO	Date Sampled	: 10/01/93
Lease	: WESTERN RESOURCES	Analysis No.	: 326
Well	: ST 34 1-4	Analyst	: STEVE TIGERT
Sample Pt.	: UNKNOWN		

STABILITY INDEX CALCULATIONS
(Stiff-Davis Method)
CaCO₃ Scaling Tendency

S.I. =	-2.4	at	60 deg. F	or	16 deg. C
S.I. =	-2.5	at	80 deg. F	or	27 deg. C
S.I. =	-2.5	at	100 deg. F	or	38 deg. C
S.I. =	-2.5	at	120 deg. F	or	49 deg. C
S.I. =	-2.5	at	140 deg. F	or	60 deg. C

CALCIUM SULFATE SCALING TENDENCY CALCULATIONS
(Skillman-McDonald-Stiff Method)
Calcium Sulfate

S =	302	at	60 deg. F	or	16 deg C
S =	336	at	80 deg. F	or	27 deg C
S =	357	at	100 deg. F	or	38 deg C
S =	366	at	120 deg. F	or	49 deg C
S =	372	at	140 deg. F	or	60 deg C

Petrolite Oilfield Chemicals Group

Respectfully submitted,
STEVE TIGERT

YATES PETROLEUM CORPORATION

SALT WATER DISPOSAL WELLS IN NEW MEXICO

September 1, 1992

FOREMAN	LEASE #	WELL NAME	LOCATION	ORDER #	APPROXIMATE BWP/M DISPOSED OF	AVERAGE INJECTION PRESSURE	INJECTION INTERVAL
CHAVEZ	013400-001	BOB GUSHWA COM #1	21-18S-26E	R-5322	0	N/A	8983-9128
HORNER	013749-001	BROWN AEI #1	26-16S-37E	SWD-324	81566	VAC-300	10366-10694
PERY	018614-001	CHAMPLIN UL FEDERAL #1	12-8S-31E	R-7130	14882	950	4009-4217
DEHLER	019599-001	COMPROMISE AEJ FED COM #1	30-18S-27E	SWD-400	6306	490	8054-8153
PERY	019730-001	COTTON MX COM #1	14-19S-25E	SWD-370	229284	1870	7680-8000
CHAVEZ	021657-001	DAVID ROSS SWD #1	35-22S-31E	SWD-419	57946	329	4500-5670
CHAVEZ	021700-001	DAYTON TOWNSITE GAS COM #1	21-18S-26E	R-7600	39202	173	8901-9062
CHAVEZ	001539-001	DONAHUE FEDERAL #1	10-20S-24E	SWD-377	2750	400	4296-4596
PERY	024155-001	EDDY GR STATE #1	16-23S-28E	SWD-414	7434	330	2892-3194
HANES	025300-001	FEDERAL HJ #1 (LINDA)	31-6S-26E	R-5545	1694	258	963-1470
PERY	025615-001	FLAMENCO SWD #1	7-22S-32E	SWD-428	109383	885	4676-5814
HORNER	025836-002	FLOWER AGA STATE #2	3-26S-28E	SWD-325	1500	377	2552-2833
HORNER	026334-001	FREEMAN ACF #1	22-16S-37E	R-8290	0	0	10050-10350
HORNER	003200-001	HARRIS STATE #1	29-13S-34E	SWD-224	65899	781	10390-10395
HORNER	032270-001	HOOVER ADR STATE #1	1-17S-33E	SWD-402	10892	VAC	3767-3774
CHAVEZ	032771-001	HUMBLE HOBBS FEDERAL #1	24-20S-24E	SWD-434	339876	1438	9600-11580
HANES	036986-001	LOVELADY ADN STATE #1	31-8S-33E	SWD-294	11322	VAC	4286-4419
PERY	037132-001	LUSK #1 SWD (LUSK #4 SWD)	35-19S-32E	SWD-480	5428	160	4733-7678
CHAVEZ	039834-004	MIMOSA AHS #4	4-20S-24E	SWD-474	166593	468	9836-11159 (OH)
CHAVEZ	039834-001	MIMOSA AHS FEDERAL #1	4-20S-24E	SWD-408	105334	920	9515-11011
CHAVEZ	040010-002	MITCHELL IN #2	23-17S-25E	R-5602	26312	55	8879-9362
DEHLER	043620-001	OSAGE #1	21-19S-25E	SWD-336	42720	1431	7672-7813
HANES	043844-013	PATHFINDER AFT STATE #13	21-10S-27E	SWD-415	137050	VAC	6442-6729
HANES	043844-007	PATHFINDER AFT STATE #7	21-10S-27E	SWD-394	0	0	2450-2650
HANES	043940-003	PATTON AAR STATE #3	5-9S-32E	R-3637	662	VAC	
HORNER	046582-001	RED HAT STATE UNIT #1	2-16S-33E	SWD-468	N/A	N/A	5805-5920
DEHLER	047690-002	ROUTH NU COM #2	14-19S-24E	SWD-399	91471	991	9570-9900
DEHLER	047556-003	ROY AET #3	7-19S-25E	SWD-437	86096	1135	9766-11110
DEHLER	051990-001	STATE CO #1	36-19S-24E	SWD-285	93415	1327	10025-11311
CHAVEZ	052125-001	STATE D #1	16-20S-24E	SWD-395	95234	1450	10000-11052
PERY	052526-001	STONEWALL YE STATE #1	30-20S-28E	R-8265	14365	657	2595-3685
HANES	052844-002	SUN UW FEDERAL #2	10-8S-33E	R-8271	14581	1176	4219-4308
HORNER	052888-002	SWAN VB STATE #2	21-14S-33E	R-7292	64629	VAC-120	10071-10350