N. H. OIL CONS. COMMISSION

**Jul** 19

P. O. BOX 1980 HOBBS, NEW MEXICO 88240

Form 3160-5 June 1990)

1. Type of Well

Oil Well

2. Name of Operator

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FORM APPROVED

1 Older Military					
Budget Bure	au No.	1004-0135			
Expires:					

7. If Unit or CA, Agreement Designation

Strange Federal 5

C(

RETE	5. Lease	Expires:	March	31, 199	)3
	5. Lease	Designat	ion and	Serial	No

8. Well Name and No.

SUNDRY NOTICES AN	D REPORTS	ON	WELLS
-------------------	-----------	----	-------

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

2. Name of Operator		O APENIAL MA	
Petroleum Development Corp	oration	9. API Well No.	
3. Address and Telephone No. 9720-B Candelaria NE, Albu 4. Location of Well (Footage, Sec., T., R., M., or Survey	querque, NM 87112  Description) Section 25, T7S, R31E	10. Field and Pool, or Exploratory Area  Tomahawk San Andres  11. County or Parish, State	
UnitA	18245 & 1210.01/w	Chaves County, New Mex	
12. CHECK APPROPRIATE BOX	X(s) TO INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection	
I rinai Abandonment Nouce	X Other <u>Horizontal drill</u>	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

- 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*
- 1. Cement squeezed perforations 4040' to 4233' and 3801' to 4008' w/350 sx. Class H , 2% CaCl cement.
- 2. Drilled cement from 3863' to 3984'. Milled casing from 3954' to 3998'.
- 3. Set cement plug and drilled out to 3982 t.

U Other

- 4. Ran directional survey.
- 5. Kicked off at 3982'. Drilled 80' radit arc from 3982' to 4106'.

6. Drilled horizontal lateral from 4106 to 5006. End of lateral south and 771' west from surface location.

- 7. Acidized lateral with 7000 gals. 20% acid.
- 8. Swabbed load back. Put on pump.

JUL 23 1993

14. I hereby certify that the foregoing is true and correct 7/12/93 President PETER W. CHESTER (This space for Federal or State office use) Title Conditions of approval, if any:

n or agency of the United States any false, fictitions or fraudulent statements Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any departm or representations as to any matter within its jurisdiction ROSWELL RESOURCE AREA NO MANAGEMENT

VED

OF THE