

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. LG 2464	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
Name of Operator Yates Petroleum Corporation		8. Firm or Lease Name Loveless "LQ" State
Address of Operator 207 South 4th St., Artesia, NM 88210		9. Well No. 2
Location of Well UNIT LETTER F 1980 FEET FROM THE North LINE AND 1980 FEET FROM West LINE, SECTION 36 TOWNSHIP 7S RANGE 31E NMPM.		10. Field and Pool, or Wildcat Und. Tomahawk SA
15. Elevation (Show whether DF, RT, GR, etc.) 4417.4' GR		12. County Chaves

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
REPAIR OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 12-1/4" hole at 11:00 AM 7-16-81.
TD 1679'. Ran 41 jts of 8-5/8" 24# K-55 ST&C (1682') of casing set at 1679'.
1-Texas Pattern guide shoe at 1679'. Insert float at 1639'. Cemented w/500
sacks 50-50 Poz Class "C" 3% CaCl. Tailed in w/150 sacks Class "C" 3% CaCl.
PD 8:45 AM 7-18-81. Bumped plug to 500 psi, released pressure and float held
okay. Cement circulated 35 sacks. WOC 18 hours and 15 minutes. Nipped up
and tested to 1000 psi, OK. Reduced hole to 7-7/8". Drilled plug and resumed
drilling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Engineering Secretary DATE 7-21-81

PROVED BY [Signature] TITLE Engineering Secretary DATE 7-21-81

NOTATIONS OF APPROVAL, IF ANY: