UNITED STALES	Form Approved. Budget Bureau No. 42-R1424
ast 1 de la companya	5.0LEASE 18824NM - 15016
GEOLOGICAL SURVEYOR BOX	6 IF INDIAN, ALLOTTEE OR TRIBE NAME
H. H.	" INDIAN, ACCUTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON TO A STORY (Do not use this form for proposals to drill or to deepen or plus to deferen	7. UNIT AGREEMENT NAME
reservoir, Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas usell other	Wattam Federal
2. NAME OF OPERATOR	9. WELL NO.
Exxon Corporation	10. FIELD OR WILDCAT NAME Tomahawk
3. ADDRESS OF OPERATOR P.O. Box 1600, Midland, TX 79702	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.) AT SURFACE: 643' FNL and 782' FEL of Section	Sec. 7, 105, ASTE
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. NEW Mexico
AT TOTAL DEPTH:	14. API NO.
L6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA	`   <del></del>
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) Later
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	Editor
SHOOT OR ACIDIZE	(NOTE: Report results of multiple completion or zone
AULTIPLE COMPLETE	change on Form 9–330.)
AULTIPLE COMPLETE	change on Form 9–330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and
HULTIPLE COMPLETE	change on Form 9–330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*
### Prilled 7 7/8" hole to 3900 T.D.  Ran 96 joints 3890', 14#, K-55 casing set at 39	change on Form 9–330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*
### Prince To Pr	change on Form 9–330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*
TULTIPLE COMPLETE	change on Form 9–330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*
MULTIPLE COMPLETE	change on Form 9-330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)  900'.  Lass "C" cement.
TULTIPLE COMPLETE	change on Form 9-330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)  900'.  Lass "C" cement.
#ULTIPLE COMPLETE	change on Form 9-330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  900'.  Lass "C" cement.
Complete Com	change on Form 9-330.)  ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  1000'.  Lass "C" cement.  11
### COMPLETE COMPLETE CHANGE ZONES CHANGE ZONES CHANGE ZONES CHANGE ZONES COMPLETED OPERATIONS (Clearly stating and complete continuing estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertined.  Drilled 7 7/8" hole to 3900 T.D.  Ran 96 joints 3890', 14#, K-55 casing set at 39 Cement w/1400 sx Howco lite, tailed w/250 sx CI POB 3:30 p.m. 2-11-82, circulated 75 sx.  WOC 29 days.  Tested 5 1/2" casing 9:00 a.m. 3-13-82 w/1500#,	change on Form 9-330.)  Sete all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  1000'.  Lass "C" cement.  1000'.  Lass "C" cement.  1000'.  10
### PROPOSED OR COMPLETED OPERATIONS (Clearly stating including estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertined.  Drilled 7 7/8" hole to 3900 T.D.  Ran 96 joints 3890', 14#, K-55 casing set at 3900 Cement w/1400 sx Howco lite, tailed w/250 sx C1 POB 3:30 p.m. 2-11-82, circulated 75 sx.  WOC 29 days.  Tested 5 1/2" casing 9:00 a.m. 3-13-82 w/1500#, Preparing to perf.	change on Form 9-330.)  Site all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  1000'.  Lass "C" cement.  1000'.  1000
Drilled 7 7/8" hole to 3900 T.D.  Ran 96 joints 3890', 14#, K-55 casing set at 39  Cement w/1400 sx Howco lite, tailed w/250 sx Cl  POB 3:30 p.m. 2-11-82, circulated 75 sx.  WOC 29 days.  Tested 5 1/2" casing 9:00 a.m. 3-13-82 w/1500#,  Preparing to perf.	change on Form 9-330.)  Sete all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  1000'.  Lass "C" cement.  1000'.  Lass "C" cement.  1000'.  10
### COMPLETE	change on Form 9-330.)  Ate all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and ent to this work.)*  OOO'.  Lass "C" cement.  OSWALL NEW MEXICOLUMN AND 2 7 1982  APR 2 7 1982

RECUIVED

F ACC Spla82

η,