

API No. 30-005-20846 GEOLOGICAL SURVEY

NM-0174830

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME ----	
2. NAME OF OPERATOR Phillips Petroleum Company		7. UNIT AGREEMENT NAME ----	
3. ADDRESS OF OPERATOR Room 401, 4001 Penbrook St., Odessa, TX 79762		8. FARM OR LEASE NAME Davis-N	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FN and 1980' FE lines, Sec. 18, T-8-S, R-33-E		9. WELL NO. 4	
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT Chaveroo San Andres (Ext.)	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4449 DF, 4450' KB		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA 18, 8-S, 33-E	
		12. COUNTY OR PARISH Chaves	13. STATE NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
(Other) ☐

PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☐
SHOOTING OR ACIDIZING ☐
(Other) ☐

REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

2-15-82: MI and RU Warton drlg rig, Spudded 12-1/4" hole @ 5:30 p.m. Circd hole 1 hr.

2-16-82: Set 14 jts of 8-5/8", 24#, K-55, ST&C csg @ 610'. Circd 1/2 hr, Western Co. started cmt, pmp truck broke dwn. RU on rig pmp and circd cmt out of hole. Waited 5-1/2 hrs on new pmp truck. Cmt'd w/400 sx Class "C" w/2% CaCl, 1/4#/sx cellophane. Displaced w/36 BFW, PD @ 2:30 P.M, 2-16-82. Max press 250#. Bmpd plug @ 700#. Circd 100 sx cmt.

2-17-82: Tstd BOP to 1000# for 30 min, OK.

2-18,19,20,22-82: Fishing.

2-23-82: Fishing, Found top of fish @ 1315'. RD WL and POOH, TIH w/bit. PU hook--wall overshot w/jars and accelerator. WIH. Latched onto fish and jarred loose POOH, LD fishing tools and DP. TIH, DC's and new DP.

2-24 thru 3-5-82: Drlg.

3-6,7-82: Schlumberger ran OH logs. DLL, RXO, GR/Cal from 4620' to 2200'. Ran CNS, CDL, GR/Cal from 4620 to surface. Set 114 jts of 10-1/2# K-55, ST&C csg w/Howco Guide shoe @ 4620'. Insert float @ 4586'. Western cmt'd w/1600 sx of TLW w/10% DD, 10% salt and 1/4# cellophane/sx followed by 225 sx Class "C" w/2% CaCl. Plug displaced to 4585' w/ 10 bbls 10% acetic acid and 61-1/2 BW. Max circ pressure 1200#. Min 400#. Bmpd plug w/1500#, pressd to 2000# to test pipe, OK. (over)

18. I hereby certify that the foregoing is true and correct

SIGNED W. J. Mueller TITLE Sr. Engr'g Specialist DATE _____


(This space for Federal or State office use)

APPROVED BY ROGER A. CHAPMAN TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

MAR 25 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side



Plugged down @ 9:10 P.M. 3-7-82. RR, float holding OK. ND and
raised BOP. Set slips, cut off 4-1/2" csg. Welded on bell
nipple. RR @ 12:15 A.M., 3-8-82. WO completion procedure.

C.C.D.
HOBBS OFFICE