

NO. .	COPIES RECEIVED	
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

Form C-105
Revised 11-1-84

NEW MEXICO OIL CONSERVATION COMMISSION WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

N/A

7. Unit Agreement Name

8. Farm or Lease Name

Crosby

9. Well No.

1

10. Field and Pool, or Wildcat

Wildcat

12. County

Chaves

1a. TYPE OF WELL

OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER

b. TYPE OF COMPLETION

NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER P & A

2. Name of Operator

MONSANTO OIL COMPANY

3. Address of Operator

1300 One First City Center, Midland, Texas 79701

4. Location of Well

UNIT LETTER L LOCATED 1980 FEET FROM THE S LINE AND 660 FEET FROM

THE West LINE OF SEC. 19 TWP. 7S RGE. 31E

15. Date Spudded 4/4/84 16. Date T.D. Reached 4/10/84 17. Date Compl. (Ready to Prod.) Well P & A 18. Elevations (DF, RAB, RT, GR, etc.) 4266 KB 19. Elev. Casinghead GR 4255

20. Total Depth 3850 21. Plug Back T.D. Surface 22. If Multiple Compl., How Many N.A. 23. Intervals Drilled By Rotary Tools Cable Tools X

24. Producing Interval(s), of this completion - Top, Bottom, Name

Well P & A

25. Was Directional Survey Made

NO

26. Type Electric and Other Logs Run

GR-DLL-CNL-LDT

27. Was Well Cored

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	20	403	12 1/4	275 SX	0

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					N.A.		

31. Perforation Record (Interval, size and number)

Well P & A

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

33. PRODUCTION

Date First Production N.A. Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)

Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

N.A.

Test Witnessed By

35. List of Attachments

Well logs, deviation survey

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED [Signature]

TITLE Regional Production Manager DATE May 9, 1984

This form is to be filled out by the District Office of the Commission not later than 30 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including logs from tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. Where no logs are required, see Rule 1105.

INSTRUCTIONS

COPIES IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

T. Albany	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Kirtland-Fruitland	T. Penn. "C"
T. Salt	T. Pictured Cliffs	T. Penn. "D"
T. Yates 1698	T. Cliff House	T. Leadville
T. 7 Rivers	T. Menefee	T. Madison
T. Queen 2348	T. Point Lookout	T. Elbert
T. Grayburg	T. Mancos	T. McCracken
T. San Andres 2830	T. Gallup	T. Ignacio Ortiz
T. Glorieta	T. Pase Greenhorn	T. Granite
T. Fort	T. Dakota	T. T.
T. Ellenburger	T. Morrison	T. T.
T. Blinberry	T. Gr. Wash	T. T.
T. Tubb	T. Granite	T. T.
T. Drinkard	T. Delaware Sand	T. T.
T. Abo	T. Bone Springs	T. T.
T. Wolfcamp	T. Chinle	T. T.
T. Penn.	T. Permian	T. T.
T. Cisco (Bough C)	T. Penn. "A"	T. T.

OIL OR GAS SANDS OR ZONES

No. 1, from	None	to	No. 4, from
No. 2, from		to	No. 5, from
No. 3, from		to	No. 6, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	None	to	feet.
No. 2, from		to	feet.
No. 3, from		to	feet.
No. 4, from		to	feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1225	1225	Ogallala - sand, shale				
1225	1698	473	Artesia - sand, shale, lime				
1698	2348	650	Yates - sand, dolomite, anhydrite				
2348	2830	482	Queen - sand, shale				
2830	3850	1020	San Andres - dolomite, anhydrite				



LESLIE K. EVERTSON - ROSWELL
KENNETH D. REYNOLDS - ARTESIA

DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. O. Box 1498 ROSWELL, NEW MEXICO 88201
TELEPHONES: ARTESIA 505/746-6757
ROSWELL 505/623-5070

April 12, 1984

Monsanto Oil Co.
1300 Post Oak Tower
5051 Westheimer
Houston, TX 77056

Ref: Crosby #1

Gentlemen:

The following is a Deviation Survey on the above well located in Chaves County, New Mexico.

403' - 1/2°
882' - 1/2°
1375' - 3/4°
1872' - 3/4°
2370' - 1/2°

2839' - 3/4°
3329' - 3/4°
3547' - 1/2°
3850' - 1/2°

Yours very truly,

WEK DRILLING CO., INC.

Arnold Newkirk

STATE OF NEW MEXICO)
COUNTY OF CHAVES)

The foregoing was acknowledged before me this 12TH day
of APRIL 1984 by Arnold Newkirk.

MY COMMISSION EXPIRES:

5-4-87

Notary Public

RECEIVED
MAY 10 1984
O.C.D.
HOBBY OFFICE