INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-difiled or despended well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six repies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

~	Anhy	1132	т	Canvon	T .	Ojo Alamo	т.	Penn. "B"
		1208	т. Т	Straup	т	Kirtland-Fruitland	Т.	Penn. "C"
	Salt	1800	1. m		T	Dictured Cliffs	т	Penn. ''D''
	Selt		Т.	Atoka	1.	Fictured Citits	т. Т	
Т.	Yetes	1920	T.	Miss	Т.	Cliff House	1.	Leadville
Т.	7 Rivers							Madison
Т.	Queen	2676	Т.	Silurian	Τ.	Point Lookout	Т.	Elbert
т.	Grayburg		Τ.	Montoya	T.	Mancos	Τ.	McCracken
r	San Andres		Т.	Simpson	Т.	Gallup	Т.	Ignacio Qtzte
T	Glorieta		т.	McKee	Bas	se Greenhorn	T.	Granite
т	Paddock		Т.	Ellenburger	Т.	Dakota	Т.	
т	Blinebry		т.	Gr. Wash	Т.	Morrison	T.	
T	Tubb		Т.	Granite	Τ.	Todilto	Τ.	
T	Drinkard		Т.	Delaware Sand	Τ.	Entrada	Т.	
т	Aho		T.	Bone Springs	т.	Wingate	Т.	
т	Wolfcamp		Τ.		Τ.	Chinle	Т.	
T	Pann		Т.		Т.	Permian	Т.	
т. Т	Cisco (Bough C)		T.		Т.	Penn. "A"	T.	
•	Cluce (Bough -)					ANDS OR ZONES		
No.	1. from	اسی ده د د ده د - ه - و م و	•••••	_to				
No.	2, from			_to	110	· · · · · · · · · · · · · · · · · · ·	*****	,,,W,
No	5 (mm			-to	No	. 6, from		
	•, ••••••••••••••••••••••••••••••••••••					-		

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

Southeastern New Mexico

No. 1	, from	to	feet.	·····
No. 2	, from	to	feet.	••••••
No. 3	, from	to		L
No. 4	-		feet.	

FORMATION RECORD (Attach additional sheets if necessary)

From	T٥	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	560	560	Surface, Rock, Redbeds				
560	1810		Redbeds, Anhydrite				
1810	2757		Anhydrite				
2757	2825	68	Lime, Sand				
				ų.			
	}						
		i I					
	-						
	1						
1							