

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐  
2. NAME OF OPERATOR  
Fred G. Yates, Inc.  
3. ADDRESS OF OPERATOR Sunwest Centre, Suite 919  
Roswell, New Mexico 88201  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 330' FNL & 1650' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>

(other) Request for clearance to lay surface flowline

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

We request approval to lay a 2" plastic flowline on top of the ground (surface) in as straight a line as terrain and sparse vegetation will allow. The surface owner has given his approval for same to be accomplished. The line will be strung from the S. Tomahawk Fed. #2 well (location same as above) to the manifold east of the heater-treater at the lease tank battery south of the So. Tomahawk Fed. #1 well, Section 6, T-8S, R-32E, 1980' FNL & 330' FWL. The manifold is about 110' south of the #1 well so the manifold is about 2090' FNL & 330'+ FWL, same section 6.

Our estimated starting date is May 10, 1984.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED John R. McMinn TITLE Engineer DATE May 3, 1984

(This space for Federal or State office use)

APPROVED (Prg. Sgd) PETER W. CHESTER TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, MAY 7 1984

5. LEASE  
NM-0347394  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME  
South Tomahawk Federal  
9. WELL NO.  
2  
10. FIELD OR WILDCAT NAME  
Tomahawk San Andres  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 6, T-8S, R-32E  
12. COUNTY OR PARISH  
Chaves  
13. STATE  
N.M.  
14. API NO.  
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4446.6' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

RECEIVED BY  
MAY 8 1984  
O. C. D.  
ARTESIA, OFFICE

RECEIVED  
MAY 15 1984  
O.C.D.  
HOBBS OFFICE