

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1195.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____ 1770
 T. Salt _____ 1920
 B. Salt _____ 2365
 T. Yates _____ 2365
 T. 7 Rivers _____ 2482
 T. Queen _____ 3045
 T. Grayburg _____ 3260
 T. San Andres _____ 3618
 T. Glorieta _____
 T. Paddock _____
 T. Blinbry _____
 T. Tubb _____
 T. Drinkard _____
 T. Abo _____
 T. Wolfcamp _____
 T. Penn. _____
 T. Cisco (Bough C) _____

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn. "A" _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ 4370 _____ to _____ 4380 _____
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____
 No. 5, from _____ to _____
 No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ None _____ to _____ feet _____
 No. 2, from _____ to _____ feet _____
 No. 3, from _____ to _____ feet _____
 No. 4, from _____ to _____ feet _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	500	500	Surface Sands				
500	1770	1270	Red Beds				
1770	1920	150	Anhydrite				
1920	2365	445	Salt				
2365	2482	117	Sandstone & shale				
2482	3045	563	Redbeds & Anhydrite				
3045	3260	215	Redbeds & Anhydrite				
3260	3618	358	Redbeds & Anhydrite				
3618	4442	824	Dolomite & Anhydrite				