

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill, or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT TO DRILL" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other:

2. Name of Operator

TOM BROWN, INC.

Darlene Jordan

Phone: (915) 688-9472

3. Address and Telephone No.

P. O. Box 2608, Midland, Texas 79702

4. Location of Well (Footage, T, R, M, or Survey Description)

Section 3, T-10-S, R-30-E

Case Designation and Serial No.

NMNM65342

6. If Indian, Allotte or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

8. Well Name and No.

MIDDLEBROOK 3

9. API Well No.

30-005-21062

10. Field and Pool, or Exploratory Area

OASIS

11. County or Parish, State

CHAVES COUNTY

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Surface Casing/Cementing

☒ Other:

Change of Operator

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well

Completion or Recompletion Report and Log form).

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.

If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Effective 11/01/00 Tom Brown, Inc. is no longer the Operator of the Middlebrook.

Please be advised the new Operator is Tomahawk Operating.

168521
28102
81830

30-005-21062

APPROVED

Signed:

Darlene Jordan

Title: Production Analyst

Date:

January 12, 2001

Approved by:

Conditions of approval, if any:

Title:

Paul Kautz
Geologist

Date:



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill, or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT TO DRILL" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other:

2. Name of Operator

TOM BROWN, INC.

BOB RYMAL

Phone: (915) 682-9944

3. Address and Telephone No.

P. O. Box 10829, Midland, Texas 79702

4. Location of Well (Footage, T, R, M, or Survey Description)

1650' FWL & 1980' FSL, NE/4SW/4, UNIT LETTER K
SEC. 3 T10S, R30E

5. Lease Designation and Serial No.

N.M.-65342

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

8. Well Name and No.

MIDDLEBROOK FEDERAL 3-1

9. API Well No.

30-005-21062

10. Field and Pool, or Exploratory Area

WILDCAT

Easis Abo

11. County or Parish, State

CHAVAS, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☒

Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Surface Casing/Cementing

☐ Other:

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form).

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.

If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

1. MI RU PU, TOH w/R&P

2. TIH w/tbg to 9465' pump 10 sks class C cement on top of Morrow CIBP

3. TOH w/tbg

4. PU CIBP, TIH to 7400' & set CIBP & PUMP 10 sks class C cement

5. TOH TO 4282' PUMP ~~20~~ SKS CLASS C CEMENT

* 6. TOH to 2930' pump 20 sks class C cement

7. TOH w/tbg.

8. Weld on, cut & pull 5-1/2" casing at 2600'

* 9. TIH w/tbg to 2650' pump 30 sks class C cement

* 10. TOH w/tbg. To 505' pump 30 sks class C cement

11. TOH to 50' pump 15 sk class C cement surface plug & install dry hole marker

20SKS

Work to begin on January, 2000.

**SEE ATTACHED FOR
CONDITIONS OF APPROVAL**

*** TAG ALL CSG SHOE + STUB PLUGS**

Signed:

Bob Rymal

(This space for Federal or State office use)

Title: Materials Supervisor

PETROLEUM ENGINEER

Date:

January 19, 2000

Approved by:

Title:

Date:

JAN 24 2000

Conditions of approval, if any:

RECEIVED
2000 JAN 21 A 8:25
GENERAL INVESTIGATIVE
DIVISION
FEDERAL BUREAU OF
INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

