State of New Mexico Form Col (3) Submit 3 Codica Energy, Minerals and Natural Resources Department Revised 1-1-87 to Appropriete Diena Ottice OIL CONSERVATION DIVISION WELL AN NO. P.O. Box 1980, Hoose NM \$5240 P.O. Box 2088 30-005-21101 Santa Fe. New Mexico 87504-2088 5. Indicate Type of Lesse P.O. Drawer DD, Arrocia, NM \$2210 FEE X STATE DISTRICT DI 6 State Oil & Gui Leave No. 1000 Rio Brazos Rd., Aztec, NM 87410 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR, USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Caldwell 24 MET A OHER & Well No. 2. Name of Operator NEARBURG PRODUCING COMPANY 3. Address of Operator 9. Pool name or Wildox Milensand Pennsylvania West Box 823085, Dallas, TX 75382-3085 P. U. 100 Well Location Line and _ 660 North : 1,980 Feat From The _ Unit Lotter ____H_ Lipe 8\$ 33E Chaves 24 NADA County Township 10. Elevation (Show whather DF, RKB, RT, CR, etc.) 40329' GR Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: ALTERING CASING PERSORY REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK PLUG AND ABANDONMENT TEMPORABILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB PULL OR ALTER CASING Activity X OTHER: OTHER: 12. Describe Proposed or Completed Openitions (Clearly state all purificult desails, and give pertinent dates, including extincted date of starting any proposed work) SEE RULE 1103. 7/29/91: Drilled 7-7/8" hole to 9400'. Ran 9,400' of 5-1/2", 17#, N-80 and K-55 casing. Cement first stage with 800 sacks Class "H". Did not circulate. Full returns while pumping. Cemented second stage through D.Y. Tool @ 6,506' with 1,720 sacks Pacesetter Lite. Tailed with 200 sacks Class "H" Neat. Ran Temp Survey T.O.C. 2,800'. 7/30/91: Picked up bit, scrapper and 2-7/8" tubing. Ran in hole to 9,353'. 8/02/91: Circulated hole clean. Trip out of hole. 8/03/91: Ran Gamma Ray-CCL. Perforated from 9,187' to 9,192' (4 JSPF) with 4" casing gun 8/05/91: 20 hole total. Swabbed. 8/06/91: Acidized with 1500 gals 15% HCL-NEFE Acid. Swabbing back load. 8/07/91: 8/08/91: Ran rod and bottom hole pump. 8/13/91: Completion Total Superintendent 8/30/91 ENUTANOSE _ таличено (505) 397-Tommy Willyard TYPE OR PRINT NAME

(الله بهنده (مد الله الله) URIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

SEP 0.5 1991

WOVYD BY.