

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Resler Oil Company State D
Company or Operator Lease
Well No. 1 in NE 1/4 SW 1/4 of Sec. 7, T. 13S
R. 32E, N. M. P. M., Caprock Field, Lea County.
Well is 3960 feet south of the North line and 1980 feet west of the East line of Section 7
If State land the oil and gas lease is No. E-876 Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is Resler Oil Company, Address _____
Drilling commenced 11-1-46 19____. Drilling was completed 12-14-46 19____
Name of drilling contractor Acme Drilling Company, Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from 3047 to 3075 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
10-3/4"	32	8	SH	297'	None				Protect surface
7"	20	8	J&L	3028'	Float				of water Prod. String.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	10-3/4"	297'	150	Halliburton	Drilling Mud	Circulated.
9-3/4"	7"	3028'	600	"	"	"

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
5"	Tin	Solidified	100 cts.	12-10-46	3047-3075	3075'

Results of shooting or chemical treatment Well swabbed 40 barrels in 8 hours.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0' feet to 3030' feet, and from _____ feet to _____ feet.
Cable tools were used from 3030' feet to 3075' feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing 12-14-46 19____
The production of the first 24 hours was 40 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Harry Rupe Driller Clayton Mahres Driller
Charles Rupe Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Artesia, New Mexico, Dec. 30, 1946

Name W. P. Sherson

Position _____

Representing Resler Oil Company
Company or Operator.Address Carper Bldg., Artesia, N.M.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	50	50	Top soil
50	220	170	sand
220	780	560	Red bed
780	1582	802	Red bed and shale
1582	2155	473	Salt and shale
2155	2491	336	Anhydrite
2491	2935	444	Anhydrite and shale
2935	3047	112	Lime
3047	3075	28	Sand
3075	TD		