



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

1966 OCT 5 AM 10 37
DUPLICATE
WELL RECORD
DUPLICATE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Byard Bennett

Gulf-State "B"

(Company or Operator)

(Lease)

Well No. 1, in NE 1/4 of NE 1/4, of Sec. 19, T. 12 S, R. 33 E, NMPM.

Wildcat

Pool,

Lea

County.

Well is 660 feet from North line and 660 feet from East line

of Section 19. If State Land the Oil and Gas Lease No. is B-9473

Drilling Commenced June 21, 1960 Drilling was Completed June 28, 1960

Name of Drilling Contractor Donnelly Drilling Co., Inc.

Address P.O. Box 433 Artesia, N.M.

Elevation above sea level at Top of Tubing Head 4,335

The information given is to be kept confidential until

, 19.

OIL SANDS OR ZONES

No. 1, from. to. No. 4, from. to.

No. 2, from. to. No. 5, from. to.

No. 3, from. to. No. 6, from. to.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from. to. feet.

No. 2, from. to. feet.

No. 3, from. to. feet.

No. 4, from. to. feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	Used	302	Halliburton			Surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8	302	200	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Dry Hole

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3,267 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing Dry Hole, 19.
OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1,770		T. Devonian.		T. Ojo Alamo.
T. Salt.	1,820		T. Silurian.		T. Kirtland-Fruitland.
B. Salt.	2,350		T. Montoya.		T. Farmington.
T. Yates.	2,500		T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.	2,720		T. McKee.		T. Menefee.
T. Queen.	3,240		T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.			T. Granite.		T. Dakota.
T. Glorieta.			T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1500	1500	Surface & Red Beds				
1500	1800	300	Anhydrite & Shale				
1800	2375	575	Salt & Anhydrite				
2375	3000	625	Anhydrite & Gyp				
3000	3,240	240	Anhydrite & Lime				
3240	3267	27	Sand & Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Byard Bennett 9/30/60
Company or Operator. Byard Bennett Address. Box 48 Roswell, N.M.
Name. Position or Title. Operator