

OWDD

COUNTY LEA FIELD Hightower STATE NM MN 01007

OFF BELCO PETROLEUM CORP. MAP

1 State BT "G"

Sec 27, T-12-S, R-33-E CO-ORD

1980' FNL, 660' FEL of Sec

Re-Spd 11-8-70 CLASS OWOF EL 42545

Re-Cmp 4-26-71

| FORMATION                 | DATUM | FORMATION | DATUM |
|---------------------------|-------|-----------|-------|
| CSG & SX TUBING           |       |           |       |
| 11 3/4" at 327' w/1134 sx |       |           |       |
| 7 5/8" at 3840' w/1450 sx |       |           |       |
| 4 1/2" at 9961'           |       |           |       |
|                           |       |           |       |
|                           |       |           |       |
|                           |       |           |       |
| LOGS EL GR RA IND HC A    |       |           |       |
| TD 9964'; PBD 9930'       |       |           |       |

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT Delta PROP DEPTH 10,000' TYPE RT

DATE

F.R. 10-20-70; Opr's Elev. 4254' DF  
PD 10,000' RT (Permo-Pennsylvanian)  
Contractor - Delta  
(Orig. Amerada Pet. Corp., P&A 8-13-70, OID 9012')

11-10-70  
11-18-70  
11-23-70  
11-30-70

TD 9012'; Cleaning Out  
Drlg. 9432'  
DST 9330-9404', open 1 hr, rec 270' O&BUM,  
45 min ISIP 2164#, FP 92-138#, 1 hr 30 min  
FSIP 2393#  
Drlg. 9860'  
Deepened from 9012' to 9964'  
ID 9964'; PBD 9930'; Swbg  
Ran 4 1/2" Casing

11-30-70 Continued  
Perf 9066-70', 9077-90', 9109-12', 9244',  
9250-52', 9356-61', 9546', 9603', 9607',  
9681', 9689', 9801', 9814', 9818', 9827',  
9863½', 9892-9904'  
Acid (9892-9904') 2500 gals  
Acid (9546-9689') 2250 gals  
Acid (9244-9361') 2000 gals  
Acid (9066-9112') 700 gals  
Swbd total 1150 BF w/very sli show oil & gas  
12-7-70 TD 9964'; PBD 9930'; Tstg  
12-21-70 TD 9964'; PBD 9930'; TO Pmp  
Perf 8911-22', 8932-43', 8958-83'  
Acid (8911-83') 2500 gals

1-4-71 TD 9964'; PBD 9930'; TO Pmp  
Ppd 100% salt wtr (8911-83')  
1-25-71 TD 9964'; PBD 9930'; TO Pmp  
Sqzd (8911-83')  
2-15-71 TD 9964'; PBD 9930'; TO Pmp  
2-22-71 TD 9964'; PBD 9930'; Swbg  
Ppd 935 BW in 24 hrs (9066-9904')  
Sqzd (9066-9904')  
Perf 9066-70', 9077-90', 9104-08' w/1 SPF  
Acid (9066-9108') 3500 gals  
Swbd FW, no shows (9066-9108')  
3-15-71 TD 9964'; PBD 9930'; Tstg  
3-22-71 TD 9964'; PBD 9930'; TO Pmp  
Perf 8961-64' w/1 SPF  
Acid (8961-64') 1000 gals  
Ppd 1 BO + 1140 BW in 24 hrs (8961-64')

IEA                      Hightower           NM    Sec 27,T12S,R33E  
BELCO PETROLEUM CORP.    1   State BT "G"           Page #3

4-5-71            TD 9964'; PBD 9930'; TO Pmp  
4-13-71           TD 9964'; PBD 9930'; TO Pmp  
4-19-71           TD 9964'; PBD 9930'; SI  
4-26-71           TD 9964'; PBD 9930'; TEMPORARILY ABANDONED  
4-29-71           COMPLETION REPORTED