OCC 48

Champlin Oil & Defining Co.

P. O. BOX 1460 MIDLAND, TEXAS

MATT 52: 1321

14

New Marico Cli Comportation Commission Sante Po, New Marico

rementane)

In reference to our application deted March is 1957, concerning our entering for disposal purposes a dry and abandoned well, being Champlin Oil & Marining Ope, and one no Champlin No. 1 Peatherstone State *i", please he advised we were unseccessful in injecting suit water into the San Andres formation. Therefore, we are schmitting a second application wherein we intend to perforate the Dewny Lake interval 1560—1620 feet and test for disposal purposes.

Please find ettached the following former

- Letter from our Geological Department wherein .
 they differentiate the Down Lake Sand from
 the Santa Sees Sand.
- 2. Application to Bispess of Salt Mater by Injection tisto a Poreira Permation Not Productive of ed. or gas.
 - J. Pall coals Electrical Log.
 - the Latter of Motion to offeet operator.
 - 5. Letter of Motion to earlace center.

that you ered!

CHAPTING OIL & RESTRING CO.

John S. Cameron Production Separtniessent

rate i An

cor State inclassering Office Eco 1079, Senia Pe, L.B.

. Nide Water Associated Cli Sc. Pax 977, Romell, & M.

k, halom hill an etc. lovington, k.k.

Mr. George Staples Charolin, Nort Morth, Toxas

ns title, instantion, i.s.

New Musico Cil Comportation Constanten Santa Fo, New Musico

Continue:

Tons bely

CHARLES AND A SECOND CO.

Jump

STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

APPLICATION

TO DISPOSE OF SALT WATER BY INJECTION INTO A POROUS FORMATION NOT PRODUCTIVE OF OIL OR GAS

POOL Name Baum-Wolfcamp County Lea
Operator Champlin Oil & Refining Co.
Address P. O. Box 11/19, Midland, Texas
Lease Name
Depth to top of injection zone 1560
Depth to base of injection zone 1620
Size of surface casing 13-3/8"
Length of surface casing 373
Number of sacks of cement used on surface casing 400
Size of long string 8-5/8
Length of long string 4060
Number of sacks of cement used on long string 2000
Size of tubing Will be 2-1/2" EUE Length of tubing Will be 1560
Depth of tubing packer setting <u>1525</u>
Name and model of packer Will be Guiberson Hookwall KV-30
Is injection through tubing or long string or annulus? When completed thru tubing.
Is injection through perforations or open hole? Perforations
Was the well drilled for salt water disposal purposes?
List perforated intervals and number of sacks of cement used on any squeeze cementing operations
What is depth of the shallowest zone productive of oil or gas in this Pool9800 Wolfeamp
What is depth of the deepest zone containing fresh water in this Pool? 450 feet
Are there any other salt water disposal wells in this Pool using this same zone for injection purposes? He If so, list operator, lease and well number
What is the approximate voluem of salt water to be injected daily? 250 bbls./day
Vill system be open or closed type? Closed
Vill injection be by gravity or pump pressure? Pump
f by pump pressure, give approximate number of pounds per square inch 500# - 750#
fill it be necessary for water to be filtered or chemically treated? Filtered
s this well so cased and completed that water can enter no other formation than the bove setout injection zone? Yes

1.	Attach a complete full-scale electrical log of this well (one Copy to OCC only).
2.	List names and addresses of all offset operators and surface owners.
	Tidewater Associated Oil Company, P.O. Box 972, Roswell, New Mexico
	Junious Tulk, Box 676, Lovington, New Mexico
3.	Have notices of this application been sent by registered mail or given to all offset operators, surface owners and to the N. M. State Engineer?
4.	Attach waivers from all offset operators.
5•	Attach waivers from <u>surface</u> owners of land on which well is located <u>or</u> a letter from company making application to the surface owner explaining said application and requesting waiver.
6.	No application will be processed until Item I has been attached to the application. Should all necessary waivers not accompany application, the Commission shall hold such application for a period of fifteen (15) days from date of receipt in the Santa Fe Office. If, after said fifteen (15) day period, no protest or request for hearing is received in the Santa Fe Office, the application will then be processed.
,	CHAMPLIN CIL & REFINING CO. Operator
	John G. Cameron
THE	E STATE OF Texas
COU	INTY OF Midland
is sta	BEFORE ME, The undersigned authority, on this day personally appeared
-	Notary Public in and for Midland County, Texas

V. 1