

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. OG-4759

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amerada Division - Amerada Hess Corporation	8. Farm or Lease Name State S"L"
3. Address of Operator Box 591 - Midland, Texas 79701	9. Well No. 1
4. Location of Well UNIT LETTER <u>I</u> , <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>32</u> TOWNSHIP <u>14 S</u> RANGE <u>33 E</u> N.M.P.M.	10. Field and Pool, or Wildcat
11. Elevation. (Show whether DF, RT, GR, etc.) 4230' DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

12-20-69 - Shot off tubing @ 7385', Spotted 15 sacks cement plug from 7270' to 7385'.
Shot 8-5/8" casing off @ 1035'. Spotted 50 sacks cement plug from 990' to 1080' in and
out of 8-5/8" casing. Spotted 50 sack cement plug from 268' to 327' in and out of 13-3/8"
casing. Spotted 10 sack cement plug in top of 13-3/8" casing from 0' to 10' and installed
dry hole marker. 5-1/2" liner @ 4000' was squeezed with 200 sacks cement.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED L B Deely TITLE Production Records Supervisor DATE June 8, 1970
APPROVED BY John W. Runyon TITLE Assistant DATE June 8, 1970
CONDITIONS OF APPROVAL, IF ANY: