### NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

# NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such thanges will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies

III. CONSERVATION COMMISSION       (Date)         NITA FE, NEW MEXICO       (Date)         NITA FE, NEW MEXICO       (Date)         You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as       Pristage Comparison of Operators         Name       Service rest events of the colspan="2">(Company or Operators)         Name       Constructions of Company or Operators         Neet       Constructions of Company or Operators         Neet       (Lesse         Constructions of the colspan="2">(Lesse         Constructions of the colspan="2">Constructions of Section 3: T USS         Neet       Constructions of Section 3: T USS         Read       Address.         Ve propose to Section Section 1: Neet       Neet         Neet       Jour 1: State Land the Oil and Gas Lease is No.         If patented land the owner is       Match Sectorscape         M       N       O	· ····		<u>.</u>	(Place)	I'man -			57	
Vou are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as         You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as         Watter Staunders A       Company or Operator:       2       Y       For A       Company or Operator:       2       Y       F       The w         Useas:       Company or Operator:       2       Y       F       The w         Useas:       Well No.       2       Y       F       The w         Useas:       Well No.       2       Y       F       The w         Useas:       Norther Market Saturders:       The w         D       C       B       A       If state Land the Oil and Gas Lease is No.       If state Land the Oil and Gas Lease is No.       If state Land the Oil and Gas Lease is No.       If the status of plugging bond is       O.% Saturders:         D       C       B <th colsp<="" th=""><th>OIL COR</th><th>NSERVAT</th><th>TON C</th><th>OMMISSIO:</th><th>Ň</th><th></th><th>(Date)</th><th></th></th>	<th>OIL COR</th> <th>NSERVAT</th> <th>TON C</th> <th>OMMISSIO:</th> <th>Ň</th> <th></th> <th>(Date)</th> <th></th>	OIL COR	NSERVAT	TON C	OMMISSIO:	Ň		(Date)	
Matci Saundars A       (Company or Operator)       L - X       F       The w         vated       2955       feet from the       1.0255       feet from the       1.02555       1.02555       1.02555       1.02555			MEAIC	.0					
Mand Sarunders A       (Company or operator)       L - X       F       The w         Vented       10255       feet from the       L Well No.       L - X       , m       The w         Vented       10255       feet from the       1025560       1025560       1025560	You	are hereby	notified	d that it is a	in the st				
Mand Securiders A       (Company or Operator) $L = V$ $F$ $F$ The w         cated       2955       feet from the $L = V$ $K$ $V$		Fish, N	art)æ	est Const	Turintention to commence	the (Drilling) (Recomple	tion) of a well to be	known as	
Neet     Ine and 1985     Ifeet from       SIVE LOCATION FROM SECTION LINE)     Saturders     Pool,     338     NMPM.       D     C     B     A     If State Land the Oil and Gas Lease is No.     If each constraint of the state of the s						ly or Operator)			
Nest     line and 1985     leet from       SIVE LOCATION FROM SECTION LINE)     Satisfiers     Pool, I.ee     S3E, NMPM.       D     C     B     A     If State Land the Oil and Gas Lease is No.     If State Land the Oil and Gas Lease is No.     Co       D     C     B     A     If patented land the owner is.     Haud Saunders     Co       E     F     G     H     The status of plugging bond is.     U.K.,     Saturders       L     K     J     I     Drilling Contractor     Clark beils Beilding Company     Soft Saturders       M     N     O     P     We intend to complete this well in the.     You Soft Saturders       We propose to use the following strings of Casing and to cement them as indicated:     Stee of Nois     Stee of Casing     Weight per Foot       Year     333/3     J2     Faw     350     350       J1     B 5/3     37     A     1/1000     350       H changes in the above plans become advisable we will notify you immediately.     Intended Leaven     1/1000     350				نیک جنگ (Lease)		, Well No	ín J		
BIVE LOCATION FROM SECTION LINE)       Satisfies       Pool,       J.	cated	1955		feet from the				(Unit)	
D     C     B     A       D     C     B     A       F     G     H       L     K     J     I       M     N     O     P       We propose to use the following strings of Casing and to compete this well in the above plans become advisable we will notify you immediately.     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       State of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       Size of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       If Casing in the above plans become advisable we will notify you immediately.     Size of Lasing     J/Z	•••••••••••	West	•••••			3 11.5	line and	feet from t	
D       C       B       A         H       State Land the Oil and Gas Lease is No.       Hand Samrdore         E       F       G       H         E       F       G       H         L       K       J       I         M       N       O       P         We propose to use the following strings of Casing and to cement them as indicated:       Size of Casing       Weight per Foot         Ve propose to use the following strings of Casing and to cement them as indicated:       New or Second Hand       Depth       Sacks Cement         17       1/2       3.3 3/3       32       New or Second Hand       Depth       Sacks Cement         11       8 5/3       3?       R       1/250       2000       350         11       8 5/3       3?       R       1/250       2000       350         14       charges in the above plans become advisable we will notify you immediately.       Met only on the second Hand Sacks cement       1/3/200       350	GIVE LO	OCATION	FROM	SECTION :	LINE)	1	, R	», №МРМ.	
D       C       B       A         Address       We propose to drill well with drilling equipment as follows:       Kotary         E       F       G       H       The status of plugging bond is       0., E.,         L       K       J       I       Drilling Contractor       Clark Delling Company         M       N       O       P       We intend to complete this well in the       Wolf Gauge         We propose to use the following strings of Casing and to cement them as indicated:       Size of Hole       Size of Casing       Weight per Foot       New or Second Hand       Depth       Sacks Cement         17       1/2       33       3/2       Few       350       350         11       B 5//3       2?       R       107LO3       350       350         11       B 5//3       2?       R       107LO3       350         14       charter with notify you immediately.       R       107LO3       350         16       charges in the above plans become advisable we will notify you immediately.       R       107LO3       350					I State Land the ().	and Cost Loose to M			
E       F       G       H         L       K       J       I         M       N       O       P         M       N       O       P         We propose to use the following strings of Casing and to cement them as indicated:       Year       Year       Year         Size of Hole       Size of Casing       Weight per Foot       New or Second Hand       Depth       Sacks Cement         17       1/2       13       3/3       3/2       Few       350       350         H       Changes in the above plans become advisable we will notify you immediately.       New or immediately.       New or immediately.	_	1			If patented land the o	wher is Maud S	Aunders		
E       F       G       H         L       K       J       I         M       N       O       P         M       N       O       P         We intend to complete this well in the.       Nois gauge formation at an approximate depth of       IC 500         We propose to use the following strings of Casing and to cement them as indicated:       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       New or Second Hand       Depth       Sacks Cement         17       1/2       33/3       32       Noi S       350       350         16       Sacks cement advisable we will notify you immediately.       N	D	С	B	Α	Address	When is			
E       F       G       H         L       K       J       I       The status of plugging bond is       U.»E.,         M       N       O       P       Drilling Contractor       Clark Data Drilling Company         M       N       O       P       We intend to complete this well in the.       Noil Clarge         We propose to use the following strings of Casing and to cement them as indicated:       Size of Casing       Weight per Foot       New or Second Hand       Depth       Sacks Cement         17       1/2       3.3 3/3       32       20%       350       350         11       B       5//3       37       n       1/250       2000         16       changes in the above plans become advisable we will notify you immediately.       n       1/200       350					We propose to drill we	ll with drilling equipment	( 1) 204	P) Bilanta	
L       K       J       I         M       N       O       P         M       N       O       P         We intend to complete this well in the       Yolf gazage         formation at an approximate depth of       10,500         CASING PROGRAM       Complete this well in the       Yolf gazage         Size of Hole       Size of Casing       Weight per Foot       New or Second Hand       Depth       Sacks Cement         17       1/2       13       3/3       32       Fax       350       350         11       8 5//3       27       A       1/200       350         16       changes in the above plans become advisable we will notify you immediately       A       1/200       350	Е	F	G	н					
L       K       J       I         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       Drilling Contractor       Clark Leis Drilling Company         M       N       O       P       P       Drilling Contractor       Use Company         We intend to complete this well in the       Wolk Gauge       Gauge       O       D         We propose to use the following strings of Casing and to cement them as indicated:       Casing and to cement them as indicated:       Depth       Sacks Cement         17       1/2       13       3/3       32       Mew of Second Hand       Depth       Sacks Cement         11       B 5//3 <t< td=""><td></td><td></td><td>Ŭ</td><td>11</td><td>The status of plugging</td><td>bond is U.K.</td><td></td><td></td></t<>			Ŭ	11	The status of plugging	bond is U.K.			
M     N     O     P       M     N     O     P       We intend to complete this well in the.     Vol.1 (C. 500)       M     N     O       We intend to complete this well in the.     Vol.1 (C. 500)       M     N     O       We propose to use the following strings of Casing and to cement them as indicated:     Size of Casing       Size of Hole     Size of Casing     Weight per Foot     New or Second Hand     Depth       17     1/2     33     3/3     32     Second Hand     Depth       11     B     5/8     37     R     1/250     2000       11     B     5/8     37     R     1/250     2000       14     changes in the above plans become advisable we will notify you immediately.     N     1000     350									
M       N       O       P       Nation total an option total and option total and option total and option total and option to the state option option option to the state option opting opting option option opting option opting option op	L	Drilling Contractor Walk Line Line Line State							
M       N       O       P         We intend to complete this well in the				 	•	308 North Colorad	0		
We intend to complete this well in the	M	N	0	D	·····	A CHARLES AND A CHARLES			
Infinition at an approximate depth of		]	Ŭ	I	We intend to complete	this well in the	() AUZ:		
CASING PROGRAM         We propose to use the following strings of Casing and to cement them as indicated:         Size of Hole       Size of Casing       Weight per Foot       New or Second Hand       Depth       Sacks Cement         17       1/2       33       3/3       32       New or Second Hand       Depth       Sacks Cement         11       8       5/6       37       6       1/250       2000         7       7/8       5       1/2       1/25       1/2       1/25       1/2         If changes in the above plans become advisable we will notify you immediately       Immediately       Immediately       Immediately				·I	formation at an appro-	ximate depth of 10,5	00		
Size of Hole         Size of Casing         Weight per Foot         New or Second Hand         Depth         Sacks Cement           17         1/2         33         3/3         3/2         2000         350         350           11         8         5/3         37         6         1/250         2000           7         7/8         3.2         350         350         350           If changes in the above plans become advisable we will notify you immediately.         10000         350	We pro	Dose to us	e the fol	Nomina d'	CASING	PROGRAM		fcct	
17         1/2         1/3         3/3         3/2         New or Second Hand         Depth         Sacks Cement           11         1/2         1/3         3/3         3/2         New or Second Hand         Depth         Sacks Cement           11         1/2         1/3         3/3         3/2         New or Second Hand         Depth         Sacks Cement           11         1/2         1/3         3/3         3/2         New or Second Hand         Depth         Sacks Cement           11         1/2	Size	Hole	1		s of Casing and to cement t	hem as indicated:			
1/1         3/3         32         New         350         350           11         8 5/8         37         1         1/2					Weight per Foot	New or Second Hand	Depth	Sacks Cement	
II.         8 5/8         37         n         1250         2000           7 7/8         5 1/2         15 5 8 23         n         10100         350           If changes in the above plans become advisable we will notify you immediately.		.1./ 4				1 ar	350		
1/2     1/2       If changes in the above plans become advisable we will notify you immediately.		<b>n</b> /c				#			
If changes in the above plans become advisable we will notify you immediately		170	<u> </u>	5 1/2	13.5 8 27	*1			
ADDITIONAL INFORMATION (If non-line in the interview of t	Tf all		<u> </u>					<b>)</b> ]U	
ADDITIONAL INFORMATION /16 month of the second second		ges in the	above p	lans become	advisable we will notify you	i immediately.			
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	ADDTI	IONAL I	NFORM	AATION (If	recompletion give full de	tails of proposed plan of y	vork.)		
						e			
	pt as fo	llows :			, 19	-			
						Fish, Nor	threat Constr	uctors, Inc.	
Fish, Northwest Lons tructors, Inc.							(Company or Operator)	A state of the state	
Fish, Northwest Constructors, Inc.							Friday States	1 Alle	
Fish, Northwest Constructors, Inc. (Company or Operator) By		OIL CON	ISERVA	ATION COM	MISSION				
OIL CONSERVATION COMMISSION	1	i di	,	in 17 -	i i i	Send Cor	nmunications regardi	ing well to	
OIL CONSERVATION COMMISSION  OIL CONSERVATION COMMISSION  Fish, Northwest Constructors, Inc.  Company or Operator By  Position  Send Communications regarding well to  Send Communications regarding well to		·····		· · · · · · · · · · · · · · · · · · ·	1 1 Stan and Stand	Name	AMOUL CONSTINUE	tors. Ins.	

Address Rooms T-9-9, K & M Bldge, Houston, Terras

#### NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL, OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies

(Place)

**Hay 29, 1957** (Date)

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Gentlemen:

By

You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as Fish, Northwest Constructors, Inc.

(Company or Op	erator)				
W		χ.	F	<b>T</b> 1.	
·····, ···		, 111	(Un		: well is
North		line and		٢	nom the
'ine of Section 3	i This		33B		om me
Samadam	<b>1</b> n. i		Lag	,	County
	North		Well No. I - X , in North line and line and	Well No	Well No.     I - X     F       (Unit)     (Unit)       North     line and       1985     feet fr

D	С	В	A
E	F	G	н
Ĺ	к	J	I
м	N	О	Р

E)	Jauncers	Pool,	Lea	County
If	State Land the Oil and Gas Le	ase is No		
If	patented land the owner is	Maud Saund	8 <b>75</b>	
	ldress			
	e propose to drill well with dril			
Tł	ne status of plugging bond is	0.K.		
•••••				
Dr	illing Contractor Clark I	Dale Drilling	Company	
•••••	308 Not	th Colorado		
	M1dl.and	1. Terras		
W	e intend to complete this well	in the Wolf on	щ <mark>о</mark>	•••••••••••••••••••••••••••••••••••••••
	mation at an approximate dep	th of 10,500		

#### CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cemen
17 1/2	13 3/8	32	New	350	350
11	8 5/8	27		4250	2000
7 7/8	5 1/2	15.5 & 17	*	10100	350

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

Approved	19
Except as follows:	, 10

OIL CONSERVATION COMMISSION

S 3. 14.

Sincerely yours,

nat Constr nctors. By. Agent Position. Send Communications regarding well to

Name Fish, Korthwest Constructors, Inc. Address Rooms 7-8-9, M & M Bldg., Houston, Texas

		OIL CONS	ERVATION	COMMIL		m C-128
	W	ell Location	and/or Ga	s Proration	n Plat	
perator <b>Fish, M</b>	ionthenat Constr	netoma Tao	Ŧ			29, 1957
perator	OF CUMER COURS OF	uctors, inc.	Lease	Maud	launders A	
ell No. 1-X	Section	34	Fownship	14-5	Range 33E	NMPM
ocated <b>1955</b>	Feet Fro	om North	Line,	1985	_Feet From	West Line,
Lea		County, N	ew Mexico.	G. L. E	levation	
ame of Produci	ng Formation	Penn. Lime				
				Saunders		Acreage 40
Ì	Note: All dista	nces must	be from out	er boundar	ies of Section)	
		• •				
	i			1	4	
			+			
	1981	6 0		1		
	1					
	3					
	1					
┝						
	1			1		
	1			,   •		
			1			

2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes No

Name 121 Position. Agent Representing Fish, Northwest Constructors, Inc. Box 953, Midland, Texas Address

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed

Registered Professional Engineer and/or Land Surveyor N.M. No 1652 (Seal out oforder)