


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Neville G. Penrose, Inc.

State "X"

Well No. 1, in SW 1/4 of NW 1/4, of Sec. 12, T. 12S, R. 34E, NMPM.  
Wildeat Pool, Lea County.  
Well is 1980 feet from north line and 660 feet from west line  
of Section 12. If State Land the Oil and Gas Lease No. is E-1235  
Drilling Commenced November 11, 1957. Drilling was Completed March 26, 1957  
Name of Drilling Contractor Cactus Drilling Corporation of Texas  
Address San Angelo, Texas  
Elevation above sea level at Top of Tubing Head 4151 GL. The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from none to none  
No. 2, from to  
No. 3, from to  
No. 4, from to  
No. 5, from to  
No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from none to none feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8	48	new	389'	HOWCO			
9 5/8	36	new	4307'	HOWCO			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13 3/8	389	325			
12 1/2	9 5/8	2304	1700			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Plugged and abandoned

Result of Production Stimulation  
Depth Cleaned Out

7 WORD OF DRILL-STEM AND SPECIAL TEST

If ~~well stem or other special tests or deviation surveys~~ were made, submit report on separate sheet and attach hereto

See attached report

TOOLS USED

Rotary tools were used from 0 feet to 13,013 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Plugged and abandoned  
Put to Producing 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	2064		T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt	2833		T. Montoya		T. Farmington
T. Yates			T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3704		T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres	4184		T. Granite		T. Dakota
T. Glorieta	5615		T. Wolfcamp	9300	T. Morrison
T. Drinkard			T. Cleaffork	6425	T. Penn
T. Tubbs	7030				
T. Abo	7795				
T. Penn					
T. Miss	12,375				

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2064	2064	red beds	10335	10420	85	limestone, chert
2064	2200	136	anhydrite	10420	10610	190	limestone, shale
2200	2690	490	salt	10610	10690	80	limestone
2690	2833	143	anhydrite	10690	10720	30	gray shale
2833	2935	102	red sand and shale	10720	11454	734	limestone w/shale, chert
2935	3704	769	anhydrite, salt, red beds	11454	11908	454	limestone, shale, sand
3704	3735	31	sand, anhydrite	12070	12170	100	Oolitic limestone
3735	4184	449	anhydrite, sand, shale	12170	12230	60	limestone w/chert
4184	5150	966	dolomite	12230	12280	50	gray shale
5150	5615	465	dolomite, limestone	12280	12361	81	limestone
5615	5730	115	shale, sandy dolomite	12361	12375	14	limestone, gray shale
5730	6425	695	dolomite, limestone	12375	12451	76	limestone, sandy limestone
6425	7030	605	dolomite	12451	12710	259	limestone, chert
7030	7138	108	sandy dolomite, sand	12710	12900	190	limestone, gray shale, chert
7138	7795	657	dolomite, limestone	12900	13019	119	limestone, shale, chert
7795	8250	455	red & green shale, dolomite, anhydrite				
8250	9010	760	dolomite with shale				
9010	9300	290	dolomite				
9300	9650	350	limestone				
9650	9920	270	limestone streaks of shale & chert				
9920	9930	10	coarse angular sand				
9930	10335	405	limestone, shale, chert				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 27, 1957

(Date)

Company or Operator Neville G. Penrose, Inc.

Address Box 988, Eunice, New Mexico

Name Glenn G. Neill

Position or Title Agent