

				X		

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

L. R. FRENCH, JR.

LONE RANGER

(Company or Operator)

(Lease)

Well No. 1, in NW 1/4 of NE 1/4, of Sec. 35, T. 12-S, R. 34-E, NMPM.

Undesignated

Pool, Lea

County.

Well is 554 feet from North line and 2086 feet from East line

of Section 35. If State Land the Oil and Gas Lease No. is

Drilling Commenced March 30, 1960 Drilling was Completed May 15, 1960

Name of Drilling Contractor FWA Drilling Company

Address 518 Phillips Building, Odessa, Texas

Elevation above sea level at Top of Tubing Head 4139

The information given is to be kept confidential until Not Confidential, 19

OIL SANDS OR ZONES

No oil or gas zones encountered

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 10,376 to 10,425 feet. Approximately 6500 ft.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8	48#	New	425	Larkin	---	None	Protect water sands
8-5/8	32#	New	4250	Larkin	2700	None	Protect Redbed ssalt

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/4	13-3/8	425	400-Circ.	Pump & Plug	---	---
11"	8-5/8	4250	500	Pump & Plug	---	---
7-7/8	None					

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface 10,425' feet to feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

No Production

Put to Producing, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian.	T. Ojo Alamo.
T. Salt.	T. Silurian.	T. Kirtland-Fruitland.
B. Salt. 2824'	T. Montoya.	T. Farmington.
T. Yates.	T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	T. McKee.	T. Menefee.
T. Queen.	T. Ellenburger.	T. Point Lookout.
T. Grayburg.	T. Gr. Wash.	T. Mancos.
T. San Andres. 4180	T. Granite.	T. Dakota.
T. Glorieta.	T.	T. Morrison.
T. Drinkard.	T. Wolfcamp 9,227	T. Penn.
T. Tubbs. Sd. 7040	T. Cisco 9,990	T.
T. Abo. 7760	T. Ranger Lake Pay 10,376	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Surface	1968	1968	Red Beds				
1968	2824	856	Salt				
2824	2928	104	Sand				
2928	4180	1252	Anhydrite & Salt				
4180	6160	1980	lm. & Anhydrite				
6160	6400	240	Salt & Lime				
6400	7050	650	Lime w/sand & shale streaks				
7050	7170	120	Sand				
7170	7760	590	Sandy Lime				
7760	9518	1758	Lime w/shale streaks				
9518	10376	858	Lime and shale				
10376	10425	49	Lime				
	TD						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

June 17, 1960

Company or Operator L. R. French, Jr. Address P. O. Box 591, Odessa, Texas (Date)
Name J. N. SIDES, JR.