## NEW MEXICO OIL CONSERVATION COMMISSION Miss. Jefice Occ Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See addi-

		Indicate Nature of N	fotice by Checking	Below	
otice of Intention o Change Plans		Notice of Intention Temporarily Abando		NOTICE OF INTENTION TO DRILL DEEPER	
OTICE OF INTENTION O PLUG WELL	x	Notice of Intention to Plug Back	1	Notice of Intention to Set Liner	
lotice of Intention o Squeeze		Notice of Intention to Acidize	·	Notice of Intention to Shoot (Nitro)	
Jotice of Intention o Gun Perforate		Notice of Intention (Other)		Notice of Intention (Other)	
OIL CONSERVATION COM	MISSION	P. O. Box 204	5, Hobbs, New	r Mexico	11-21-57
ANTA FE, NEW MEXICO		(	Place)	(1	Date)
entlemen:					
7 H				Slick Oil Corporat	ion, et al
Following is a Notice of In	itention to do	certain work as describ	ed below at the		• • • • • • • • • • • • • • • • • • •
(Comp	any or Operator	fice of Mea Went	GO F REDO)	Well No	in
(Compa	Ser 1	T 138	, 34 <b>5</b>	Wildcat	Pool
***************************************	Con	intv			
Set cement plugs 13	(FOLLOW	L DETAILS OF PROINSTRUCTIONS IN 4925-5155', 4	THE RULES AND	D REGULATIONS)	iron stake
Set cement plugs 13 set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES AND 264-4364, 45 1de: C-1-13-3	D REGULATIONS) 5 Sax from 25-0' w/	iron stake
	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES AND 264-4364, 45 1de: C-1-13-3	D REGULATIONS) 5 Sax from 25-0' w/	iron stake
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES AND 264-4364, 45 1de: C-1-13-3	D REGULATIONS) 5 Sax from 25-0' w/	iron stake
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES ANI 264-4364°, 45 ide: C-1-13-3 e as set.	D REGULATIONS) 5 sax from 25-0' w/	
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES ANI 264-4364°, 45 ide: C-1-13-3 e as set.	D REGULATIONS) 5 sax from 25-0' w/	
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES ANI 264-4364°, 45 ide: C-1-13-3 e as set.	D REGULATIONS) 5 sax from 25-0' w/	
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES ANI 264-4364°, 45 ide: C-1-13-3 e as set.	D REGULATIONS) 5 sax from 25-0' w/	
set over well w/fol	(FOLLOW <b>325-325'</b> Llowing 1	instructions in , 4925-5155', 4925-515', 4925-515	THE RULES ANI 264-4364°, 45 ide: C-1-13-3 e as set.	D REGULATIONS) 5 Sax from 25-0' w/	
set over well w/fol	(FOLLOW 3225-325' Llowing i casing t	instructions in , 4925-5155', 400 and an in hold	THE RULES ANI 264-4364', 45  1de: C-1-13-3  e as set.	The pipe  mican gi	
set over well w/fol	(FOLLOW 3225-325' Llowing i casing t	instructions in , 4925-5155', 400 and an in hold	THE RULES AND 264-4364', 45 ide: C-1-13-3 e as set.	Francis of	
set over well w/fol	(FOLLOW 3225-325' Llowing i casing t	instructions in , 4925-5155', 400 and an in hold	THE RULES AND 264-4364', 45 de: C-1-13-3 de: C-13-13	The pipe of the component of the compone	
13-3/8" and 9-5/8"	(FOLLOW 3225-325' Llowing i casing t	instructions in , 4925-5155', 400 and an in hold	Slick Of By	Harman 25-0' w/  Harman	4'above
Approved	(FOLLOW \$225-325'	instructions in , 4925-5155', 400 and an in hold	Slick Of By	The pipe of the component of the compone	4'above
Approved DIL CONSERVATION COM	(FOLLOW 3225-325' Llowing in casing to casing the casin	instructions in holes of remain in holes	Slick Of By	The properties of Production of Communications regarding	4'above
set over well w/fol	(FOLLOW 3225-325' Llowing in casing to casing the casin	instructions in , 4925-5155', 400 and an in hold	Slick Of By	Harman 25-0' w/  Harman	4 above ound les

·		