

COUNTY	LEA	FIELD	Gladiola	STATE	NM
OPR	SKELTON OIL CO.			APR	07159
NO	1	LEASE	Byron Dale	DATE	02W0
	Sec 7, T-12-S, R-38-E			TRAC	
	330' FSL, 2317' FWL of Sec			CO-ORD	

IP (Wolfcamp) Perfs 9478-9613' P 82 BOPD + 27 BW. Pot based on 24 hr test. GOR 880; Grav NR

F.R.C. 3-17-73
(Wolfcamp)
(Orig. Cosden Pet. Corp. #1 Newmont Oil, comp
5-12-58 from (Devonian) OH 11,994-12,001', OTD
12,001'; OWWO & J&A 8-14-72 by Skelton Oil Co., OTD
12,001')

3-12-73 TD 12,001'; STTD 9648'; COMPLETE
Set Whipstock @ 5676'
Re-Drilled to TD 9648', Ran 5 1/2" csg
Perf @ 9478', 9480', 9483', 9535', 9579', 9601',
9602', 9613'
Acid (9478-9613') 2000 gals

3-17-73 COMPLETION REPORTED

OWWO

COUNTY IEA

FIELD Gladiola

STATE NM MN 07159

OPR SKELTON OIL CO.

MAP

1 Byron = D. 36

Sec 7, T-12-S, R-38-E

CO-ORD

330' PSL, 2317' ENE of Sec

Re-Spd 8-7-72

CLASS

EL

Re-Cmp 8-14-72

FORMATION

DATUM

FORMATION

DATUM

CSG & SX - TUBING

13 3/8" at 374' w/305 sx

8 5/8" at 4600' w/1700 sx

5 1/2" at 11,994' w/1000 sx

LOGS EL GR RA IND HC A

TD 12,001

JUNKED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT Emice Well Service
 DATE

PROP DEPTH 10,000' TYPE WC

F.R. 1-31-70; Opr's elev. 3882' Dr

SL 10,000' WC (Waltcamp)

Contractor - Emice Well Service

(Orig. Gosden Pet. Corp. #1 Newmont Oil, comp

5-12-58 from (Devonian) CH 11,994-12,001', OTH

12,001'; Plugged Producer 8-28-67)

8-14-72 IL 12,001', OTH 12,001', Prop (W)

OO to 4600' w/hw jnk & hole

8-1-72 IL 12,001' JUNKED & ABANDONED

8-12-72 CONTRACTOR REQUESTED



EASTMAN WHIPSTOCK, INC. P O BOX 14609 HOUSTON, TEXAS 77021 / CABLE ADDRESS: EASTCO

January 12, 1973

THE STATE OF TEXAS

COUNTY OF ECTOR

R. B. Vickers, being duly sworn, deposes and says that: He is employed by Eastman Whipstock, Inc., as a well bore surveyor, in charge of the following described survey; and that a Single Shot Survey was run from 5710' to 9646', on January 10, 1973.

Said well more particularly described by operator, as follows:

SKELTON OIL COMPANY
BYRONDALE # 1
TATUM, NEW MEXICO

That the attached documents, namely title sheet, computation sheets, and one plan, showing the True Vertical Depth of 9579.71 feet, the well being 684.8 feet, in a direction of North 56 degrees, 58 minutes, West.

This is a full, true and correct representation of the said survey, to the best of his knowledge.

A handwritten signature in cursive script, reading "R. B. Vickers", written over a horizontal line.

R. B. Vickers


Subscribed and sworn to, before me

this 12th day of January, 1973.

A handwritten signature in cursive script, reading "Dorothy Conklin", written over a horizontal line.

Dorothy Conklin, Notary Public in and

for the County of Ector, State of Texas.



REPORT of SUB-SURFACE DIRECTIONAL SURVEY

Skelton Oil Company
COMPANY

Byrondale # 1
WELL NAME

Tatum, New Mexico
LOCATION

JOB NUMBER

1371-N

TYPE OF SURVEY

S S

DATE


January 11, 1973

SURVEY BY

R. B. Vickers

OFFICE

Odessa, Texas



THE
LIBRARY
OF THE
CONGRESS
WASHINGTON, D.C.

Section of the

Library of the


Library of the

January 11, 1978

1371-2

James, James

James, James



RECORD OF SURVEY

JOB NO. 1371-N DATE January 11, 1973 CHECKED BY

STATION	MEASURED DEPTH	DRIFT ANGLE	TRUE VERTICAL DEPTH	VERTICAL SECTION	COURSE DEVIATION	DRIFT DIRECTION	RECTANGULAR COORDINATES		
							NORTH	SOUTH	WEST
1	5676	ASSUME	VERTICAL						
2	5710	1° 30'			89	N 40 W	68		57
3	5768	3°			04	N 40 W	3 01		2 53
4	5862	4° 15'			97	N 35 W	8 71		6 54
5	5956	4° 45'			7 78	N 40 W	14 67		11 54
6	6081	5° 15'			11 44	N 42 W	22 32		20 04
7	6207	5° 45'	6079	81	12 52	N 43 W	30 85		29 20
8	6333	6° 30'			14 26	N 48 W	40 39		39 79
9	6490	7°			19 14	N 53 W	51 90		55 07
10	6646	8°			21 71	N 56 W	64 04		73 07
11	6805	8° 45'			24 19	N 63 W	75 03		94 62
12	6960	9°	6798	81	24 24	N 68 W	84 11		117 09
13	7118	10°			27 43	N 74 W	91 67		143 45
14	7275	10°			27 26	N 79 W	96 86		170 27
15	7400	10° 15'			22 24	N 78 W	101 48		192 02
16	7551	8° 15'			21 67	N 70 W	108 89		212 38
17	7618	7° 45'	7534	55	9 04	N 61 W	113 27		220 29
18	7714	8° 45'			14 60	N 60 W	120 57		232 93
19	7838	9° 15'			19 93	N 58 W	131 13		249 83
20	7995	10° 15'			27 93	N 57 W	146 34		273 25
21	8151	11°	8125	83	29 77	N 59 W	161 68		298 77
22	8309	12° 30'			34 19	N 58 W	179 80		327 76
23	8434	13° 30'			29 18	N 58 W	195 27		352 48
24	8498	14° 30'			15 75	N 57 W	203 85		365 69
25	8566	14° 15'			16 74	N 58 W	212 72		379 89



RECORD OF SURVEY

JOB NO. 1371-N DATE January 11, 1973 CHECKED BY _____

SURED EPTH	DRIFT ANGLE	TRUE VERTICAL DEPTH	VERTICAL SECTION	COURSE DEVIATION	DRIFT DIRECTION	RECTANGULAR COORDINATES			
						NORTH	SOUTH	EAST	WEST
22	14° 15'	8680		38 40	N 55 W	234 75			411 35
79	13° 30'			36 65	N 53 W	256 81			440 62
34	13° 45'			36 84	N 50 W	280 49			468 84
92	13° 45'			37 56	N 52 W	303 56			498 37
55	13° 45'			14 97	N 50 W	313 18			509 77
46	13°	9579		87 97	N 47 W	373 17			574 11
Closure: 684.8' North 56° 58' West									

LEA CO. NEW MEXICO

