

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator SIGNAL OIL AND GAS COMPANY		8. Farm or Lease Name Slack R/A "A"
3. Address of Operator 125 Central Building - Midland, Texas 79701		9. Well No. 4
4. Location of Well UNIT LETTER D 990 FEET FROM THE North LINE AND 990 FEET FROM THE West LINE, SECTION 18 TOWNSHIP 125 RANGE 38 E NMPM.		10. Field and Pool, or Wildcat Gladiola
15. Elevation (Show whether DF, RT, GR, etc.) 3892 K.B.		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>



SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Place 25 sk. cement plug 12,016' - 11,800'.
2. Part 5-1/2 @ approx. 4600'.
3. Place 35 sk. cement plug 4600' - 4500'
4. Pull 4600' 5-1/2" csg.
5. Place 10 sk. cement plug at surf.
6. Weld steel plate on top of csg.
7. Erect required marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED 	TITLE Division Production Engineer	DATE 8-3-71
APPROVED BY 	TITLE SUPERVISOR DISTRICT 1	DATE AUG 5 1971
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

AUG 10 1971

OIL CONSERVATION COMM.
HONOLULU, H. I.

1700 1700 1700 1700