

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

March 17, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Stanolind Oil and Gas Company John W. Houston "A"
(Company or Operator) (Lease)

Loffland Brothers Company, Well No. 2 in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 19
(Contractor)

T. 12-S, R. 38-E NMPM, Undesignated Pool, Lea County.

The Dates of this work were as follows: March 14, 1954 to March 16, 1954, Inclusive

Notice of intention to do the work (~~was~~) (was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan (~~was~~) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

T. D. 9816'

P. B. D. 9766'

On March 14, 1954, 9806' of new and used 5½" casing was run in a 7-7/8" hole and cemented at 9816' with 185 sx. cement plus 4% gel and 185 cu. ft. perlite. After 30 hours W. O. C. tested casing before and after drilling plug with 1100 psi for 30 minutes with no loss in pressure. Completion operations resumed.

Witnessed by A. C. Blackburn Stanolind Oil and Gas Company Head Roustabout
(Name) (Company) (Title)

Approved:

OIL CONSERVATION COMMISSION

S. J. Stanley
(Name)
(Title)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Ralph Henderson

Position Field Superintendent

Representing Stanolind Oil and Gas Company

Address Box 68, Hobbs, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the **Rules and Regulations of the Commission**.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

2-15-54
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Stanolind Oil and Gas Company
(Company or Operator)

John W. Houston "A"
(Lease)

Leffland Brothers Company
(Contractor)

Well No. **2** in the **NW** $\frac{1}{4}$ **SW** $\frac{1}{4}$ of Sec. **19**

T-12-S, R-38-E, NMPM., **Undesignated** Pool, **Lea** County.

The Dates of this work were as follows: **February 10, 1954 to February 14, 1954, inclusive**

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan ~~was~~ (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

RDB - 3886'

On January 10, 1954, 4490' of 9-5/8" casing was run in a 12 1/2" hole and cemented at 4500' in two stages with staging tool set at 2309'. Cemented first stage with 440 sx 8% gel followed with 100 sx neat. Second stage cemented with 150 sx neat cement.

After 30 hours W.O.C. tested casing at DV tool w/1000 psi for 30 min. Ok. Tested before and after drilling plug with 1000 psi for 30 minutes and as there was no loss in pressure drilling operations were resumed.

Witnessed by: **A. C. Blackburn** (Name) **Stanolind Oil and Gas Company** (Company) **Head Roustabout** (Title)

Approved: **OIL CONSERVATION COMMISSION**

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name: **Ralph H. Hunsaker**

Position: **Field Superintendent**

Representing: **Stanolind Oil and Gas Company**

Address: **Box 68, Hobbs, New Mexico**

(Title)

(Date)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

(Form C-102)
(Revised 7/1/52)

1954

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

February 1, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Stanolind Oil and Gas Company
(Company or Operator)

John W. Houston "A"
(Lease)

Loffland Brothers Company
(Contractor)

Well No. 2 in the NW 1/4 SW 1/4 of Sec. 19

T. 12-S R. 30-E NMPM, Undesignated Pool, Lea County.

The Dates of this work were as follows: January 29, 1954 to January 31, 1954 Inclusive.

Notice of intention to do the work (yes) (was not) submitted on Form C-102 on _____, 19____, (Cross out incorrect words)

and approval of the proposed plan (yes) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Spudded 17 1/2" hole 1-29-54.

On January 29, 1954 303' of 13-3/8" casing was run and cemented at 316' with 225 sx. 8% gel plus 100 sx. neat. Cement circulated to surface. After 30 hours W. O. C. tested casing with 400 psi for 30 minutes before and after drilling the plug and as there was no loss in pressure drilling operations were resumed.

Witnessed by A. C. Blackburn
(Name)

Stanolind Oil and Gas Company
(Company)

Head Roustabout
(Title)

Approved:

OIL CONSERVATION COMMISSION

S. J. Stanley
(Name)

(Title)

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Ralph Henderson

Position Field Superintendent

Representing Stanolind Oil and Gas Company

Address Box 68, Hobbs, N. M.

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED

JAN 21 1954

MISCELLANEOUS REPORTS ON WELLS OIL CONSERVATION COMMISSION

HOBBS OFFICE

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

January 20, 1954
(Date)

Hobbs, N. M.
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Stanolind Oil and Gas Company
(Company or Operator)

John W. Houston "A"
(Lease)

Loffland Brothers Company
(Contractor)

Well No. 2 in the NW 1/4 SW 1/4 of Sec. 19

T. 12-S, R. 38-E, NMPM, Undesignated Pool, Lea County.

The Dates of this work were as follows:

Notice of intention to do the work (was) (was not) submitted on Form C-102 on _____, 19_____.
(Cross out incorrect words)

and approval of the proposed plan (was) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This form filed to change lease name and well designations:

From: John W. Houston #3
To: John W. Houston "A" #2

Witnessed by _____
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION

S. G. Stanley
(Name)

Engineer District 1

JAN 25 1954

(Title)

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name: Ralph Henderson

Position: Field Superintendent

Representing: Stanolind Oil and Gas Company

Address: Box 68, Hobbs, New Mexico

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED
JAN 14 1954

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in **QUINTUPPLICATE**. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico
(Place)

January 12, 1954
(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) (~~Recompletion~~) of a well to be known as

Stanolind Oil and Gas Company

(Company or Operator)

John W. Houston

(Lease)

, Well No. **3**

, in **L**

(Unit)

The well is

located **2110**

feet from the

South

line and

330

feet from the

West

line of Section **19**

, T **12-S**

, R **38-E**

, NMPM

(GIVE LOCATION FROM SECTION LINE)

Gladiola-Wolfcamp

Pool,

Lea

County

If State Land the Oil and Gas Lease is No.

If patented land the owner is **John W. Houston**

Address **Gladiola, New Mexico**

We propose to drill well with drilling equipment as follows: **Rotary tools to Total Depth**

The status of plugging bond is **Blanket Bond on file with Commission**

Drilling Contractor **Loffland Brothers Company**

P. O. Box 1649, Tulsa, Oklahoma

We intend to complete this well in the **Wolfcamp**

formation at an approximate depth of **9820** feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
17-1/2"	13-3/8"	36#	New	300'	355
12-3/4"	9-5/8"	36.40#	New	4500'	*
8-3/4"	5-1/2"	17#	New	9820'	150 / 150 cu. ft. Perlite

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

***Two Stage cement to isolate salt section with staging tool set at top of salt (approx. 2300)**

1st Stage - 440 sx. 8% gel plus 100 sx. neat.

2nd Stage - 150 sx. neat.

Approved **JAN 15 1954**, 19.....
Except as follows:

Sincerely yours,

Stanolind Oil and Gas Company
(Company or Operator)

By **Ralph Henderson**
Position **Field Superintendent**

Send Communications regarding well to

Name **Stanolind Oil and Gas Company**

Address **Box 68, Hobbs, N. M.**

OIL CONSERVATION COMMISSION

By **S. G. Stanley**

Engineer District 1

Title