

NE MEXICO OIL CONSERVATION COMMISSION

DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <u>Salt Water Disposal</u>		7. Unit Agreement Name
2. Name of Operator <u>Amerada Hess Corporation</u>		8. Farm or Lease Name <u>Bronco S.W.D.</u>
3. Address of Operator <u>Drawer D, Monument, NM 88265</u>		9. Well No. <u>#2</u>
4. Location of Well UNIT LETTER <u>J</u> <u>1982.75</u> FEET FROM THE <u>South</u> LINE AND <u>1414.7</u> FEET FROM THE <u>East</u> LINE, SECTION <u>11</u> TOWNSHIP <u>13 S</u> RANGE <u>38 E</u> NMPM.		10. Field and Pool, or Wildcat <u>Bronco</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>3810' D.F.</u>		12. County <u>Lea</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

July 1977

Pulled 3½" IPC tbg, ran 4-5/8" bit and 5½" csg scraper on 2-7/8" tbg to 7700'. Set bull plugged seal assembly in model D pkr at 7700' and pumped 3 sks of sand on top of pkr. Checked top of sand at 7690'. Pressure tested csg, seal assembly and pkr w/1000#, Held OK. Tested 5½" csg w/ 900# from 7690' to 6234', held OK. Attempted to test csg above 6234' and failed to hold pressure. Ran csg inspection log fr 7678' to 4500' and found severe corrosion, pitting and possible holes. Ran 2-7/8" tbg and spotted 55 sks of class C cement mixed w/2% CaCl, on top of sand and model D pkr. Checked top of cement at 7469'. Laid down work string of 2-7/8" tbg. Left one jt of 3½" IPC tbg in slips w/valve in top, closed in pending company approval of AFE to P&A.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E. B. Fisher TITLE Supv. Admin. Serv. DATE 7-18-77

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Expires 7/31/78