

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

JAN 39 3 40 77 64

Depth Cleaned Out.....

WELL RECORD

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE,

If State Land submit 6 Copies

Veil No. 1 is SE % of	(Company or Operators) Veil No. 1 in SE 1/4 of Me 1/4, of Sec. 19 T 13-8 R 38-E NMPh Wildest Pool, Las Count Veil in 1980 feet from Borth line and 1980 feet from West line If Section 12 If State Land the Oil and Gra Lease No. is	,	Th	e Super	or Oi	1 Company			G. H. Co	ates	
Count 1980 feet from Botth line and 1980 feet from West line and 1980 feet from Line Section 19 If State Land the Oil and Gas Lense No. is. Filling Commenced Recember 26, 19.63 Drilling was Completed James 12 12 1954 feet line of Drilling Contractor. Re. Le. No.Fratland, Dec. 3612 W. Well, Nidland, Texas ddress. 3612 W. Well, Nidland, Texas ddress. 3612 W. Well, Nidland, Texas Counting West line of Drilling Was Completed James 12 12 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line was Completed James 13 1954 feet line of Drilling Was Completed James 13 1954 feet line was Completed James 13 1954 feet line was Completed James 13 1954 feet line was Completed James 1954 feet	Count 1980 feet from Botth line and 1980 feet from Wast line and 1980 feet from Manual Wast line and 1980 feet from feet feet feet feet feet feet feet fee			(Company or	Operator)				(Lease)		
cell is 1980 feet from Borth line and 1980 feet from West life Section 19 If State Land the Oil and Gas Lesse No. is	cell is 1980 feet from Borth line and 1986 feet from West line and 1986 feet from West line section 19 If State Land the Oil and Gas Lease No. is			-							
Section 19 If State Land the Oil and Gra Lease No. is	Section 19 If State Land the Oil and Gas Lease No. is										
rilling Commenced. PREMERT 25. , 19.63 Drilling was Completed. January 12 , 1964 ame of Drilling Contractor. B. Let May are land, Inc 3612 W. Well, Midland, Texas determined the Contractor of Tubing Head. The information given is to be kept confidential un all depths measured from KB elevation 3865*. OIL SANDS OB ZONES OIL ZONES MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING OIL SANDS	rilling Commenced. PREMERY 25. , 19.63 Drilling was Completed. Figure 7.12 , 1964 ame of Drilling Contractor. B. L. McFerland, Inc. 3612 W. Well, Midland, Texas determined to the second of the se										
ame of Drilling Contractor. R. L. McFarland, Inc. 3512 V. Vall, Midland, Texas deres. 3512 V. Vall, Midland, Texas revation above sea level at Top of Tubing Head. To taking Kum. The information given is to be kept confidential un All depths measured from KB elevation 3865 . OIL SANDS OR ZONES D. 1, from	ame of Drilling Contractor. R. Le. McFarland, Inc. 3512 V. Vell, Midland, Texas deres. 3512 V. Vell, Midland, Texas revation above sea level at Top of Tubing Head. To tabing Even The information given is to be kept confidential unit and the season of the property of								į.		
ddress. 3612 V. Well, Midlend, Texas levation above sea level at Top of Tubing Head. 19 All depthe measured from KB elevation 3865*. OIL SANDS OR ZONES O. 1, from No. 4, from 10. O. 2, from No. 5, from 10. O. 3, from No. 6, from 10. IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. HOND O. 2, from 10. O. 3, from 10. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOP FULLED FROM PERFORATIONS FURFOSE 13-3/8 484 Saw 452* Baker Hone Hone Intermediate MUDDING AND CEMENTING RECORD MUDDING AND CEMENT USED GRAVITY AMOUNT OF MUDDING AND UND AMOUNT OF MUDDING AND TEACH PARTS MUDDING AND CEMENT USED GRAVITY AMOUNT OF MUDDING AND UND AMOUNT OF MUDDING AND TEACH PARTS MUDDING AND CEMENT USED GRAVITY AMOUNT OF MUDICING INC. 13-3/8 452* 500 Pemp 4 Flug 10.55/gal Hole fall	ddress. 3612 W. Well, Midlend, Texas levation above sea level at Top of Tubing Head. 19 All depths measured from RB elevation 3865'. OIL SANDS OR ZONES O. 1, from No. 4, from to No. 5, from to No. 6, from No. 6, fr										
Parties above sea level at Top of Tubing Head Bo trabing Two The information given is to be kept confidential un 19	PARTICIPATE SANDS CASING RECORD CASING RECORD CASING RECORD CASING RECORD CASING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENT USED ORAVITY MUDUISED MUDDING AND CEMENT ORAVITY AND USED MUDDING AND CEMENT ORAVITY AND CEMENT ORAVITY AND USED MUDDING AND CEMENT ORAVITY AND CEMENT ORAVITY AND CEMENT	ame of Dril	lling Contra								
OIL SANDS OR ZONES OIL SANDS OR ZONES O. 1, from	OIL SANDS OR ZONES O. 1, from			-							
OIL SANDS OR ZONES O. 1, from	OIL SANDS OR ZONES O. 1, from			-	_						ential until
No. 4, from to	No. 4, from to No. 5, from to No. 5, from to No. 5, from to No. 5, from to No. 6, from No. 6, fr				 :	19	il depths me	asured fro	n KB elevat	ion 3865'.	
Description	D. 2, from					OI	L SANDS OR ZO	NES			
Description	D. 2, from	o. 1. from	Non		to		No. 4.	from		to	
DEPORTANT WATER SANDS Clude data on rate of water inflow and elevation to which water rose in hole. D. 1, from to feet. D. 2, from to feet. D. 3, from to feet. D. 4, from to feet. CASING RECORD SIZE FEE FOOT VEED AMOUNT SHOP FULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452' Belter Home Home Surface Cast 9-5/8 364 4 404 New 4,638' Baker Hone None Intermediate (MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD SIZE OF SIZE OF WHERE NO. SACKS NETTING RECORD NETTING RECORD NETING RECOR	IMPORTANT WATER SANDS clude data on rate of water inflow and elevation to which water rose in hole. 1. from to feet. 2. from to feet. 3. from to feet. CASING RECORD SIZE FER FOOT VEED AMOUNT SINCE FULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452' Baker Nome Nome Surface Casing Sect. MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD GRAVITY MUD USED OF CASING PURPOSE INC. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD GRAVITY MUD USED OF CASING SET NO. SACKS METHOD GRAVITY MUD USED 7-1/2 13-3/8 452' 500 Pemp & Flug 10.59/gal Hole full	•									
IMPORTANT WATER SANDS Iclude data on rate of water inflow and elevation to which water rose in hole. Identification of the control of the c	IMPORTANT WATER SANDS Iclude data on rate of water inflow and elevation to which water rose in hole. Important water sands Important water sands Include data on rate of water inflow and elevation to which water rose in hole. Important water sands Important water sands Important water sands Include data on rate of water inflow and elevation to which water rose in hole. Important water sands Important water sands Include data on rate of water inflow and elevation to which water rose in hole. Important water sands Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow and elevation to which water rose in hole. Include data on rate of water inflow. Include data on rate of water included. Include data on rate of water inflow. Include data on rate of water inflow. Include data on rate of water inflow. Include data on rate of etc. Inclu						•				
CASING RECORD CASING RECORD CASING RECORD CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE FULLED FROM PERFORATIONS PURPOSE 13-3/8 484 How 452 Baker Hone Rome Intermediate (MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MITTHON MATTER TO AMOUNT OF MATTER TO AMOUNT OF MOLE CASING RECORD MUDDING AND CEMENTING RECORD MITTHON MATTER NO. SACKS METHOD GRAVITY MUD USED 7-1/2 13-3/8 452' 500 Parp & Plag 10.54/gal Hole 2ul1	CASING RECORD SIZE WEIGHT NEW OR LOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 Row 4.52 Belies None Rome Surface Casing Record MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY MUD USED MUDDING AND CEMENT USED AMOUNT OF COURT AND PROBLEM ROME SURface Casing Record Rome Rome Rome Rome Rome Rome Rome Rome	,, o, mom	••••••••••••	***************************************				a. V4111111111111111111111111111111111111	••••••••••	***************************************	
D. 1, from to feet. D. 2, from to feet. D. 3, from to feet. D. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452 New Fulled From Perforations Purpose 13-3/8 366 400 New 4,638 New Mone None None Intermediate (MUDDING AND CEMENTING RECORD SIZE OF CASING SET OF CEMENT USED GRAVITY MUD USED 7-1/2 13-3/8 452 500 Pump & Plug 10.56/gal Hole full	D. 1, from to feet. D. 2, from to feet. D. 3, from to feet. D. 4, from to feet. CASING RECORD CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452 Baker None None Surface Casi 9-5/8 366 400 New 4,638 Baker None Rose Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF CASING SET NO SACKS METHOD GRAVITY MUD USED 7-1/2 13-3/8 452 500 Pump & Fing 10.56/gal Hole full										
CASING RECORD CASING RECORD SIZE FER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 Now 452' Beher Hone Home Surface Casing 9-5/8 364 & 404 Now 4,638' Beker Hone Hone Intermediate (MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY MUD USED TO 13-3/8 452' 500 Pump & Fing 10.59/gal Role full	CASING RECORD CASING RECORD SIZE FER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452 Baker Hone Hone Surface Casi 9-5/8 364 & 404 New 4,638 Baker Hone Rome Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF HOLE CASING SET OF CEMENT USED GRAVITY MUD USED 7-1/2 13-3/8 452 500 Page & Plug 10.54/gal Hole full										
CASING RECORD CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 Rew 452 Baker Hone Rome Surface Cast 9-5/8 364 6 404 New 4,638 Baker None None Intermediate (MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 PREP & FING 10.55/gal Hole full	CASING RECORD CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 Rew 452 Baker Hone Rome Surface Casi 9-5/8 364 6 404 Rew 4,638 Baker Hone Rome Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 PREP & FINS 10.54/gal Hole full	-									
CASING RECORD CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452' Baker None None Surface Casi 9-5/8 364 6 404 New 4,638' Baker None Rome Intermediate MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF HOLE CASING SET OF CEMENT USED GRAVITY MUD USED 7-1/2 13-3/8 452' 500 Peep & Plag 10.59/gal Hole full	CASING RECORD CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 13-3/8 484 New 452' Baker None None Surface Casi 9-5/8 364 6 404 New 4,638' Baker None Rome Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF HOLE CASING SET OF CEMENT USED GRAVITY MUD USED 7-1/2 13-3/8 452' 500 Pemp & Flug 10.54/gal Hole full	•									
SIZE WEIGHT NEW OR LIND OF CUT AND PERFORATIONS PURPOSE 13-3/8 484 Hew 452' Baker Hone Home Surface Cass 9-5/8 364 & 404 Hew 4,638' Baker Hone Hone Intermediate (MUDDING AND CEMENTING RECORD SIZE OF CASING SET OF CEMENT USED MUD GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452' 500 Pump & Fing 10.54/gal Hole full	SIZE WEIGHT NEW OR LIND OF CUT AND PERFORATIONS PURPOSE 13-3/8 484 Hew 452' Beker Home Home Surface Casi 9-5/8 364 & 404 Hew 4,638' Beker Home Home Intermediate C MUDDING AND CEMENTING RECORD SIZE OF SIZE OF CASING SET OF CEMENT USED GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452' 500 Pemp & Ping 10.54/gal Hole Sull	o. 3, from	· · · · · · · · · · · · · · · · · · ·			to			.feet		
13-3/8 484 Rew 452' Baker None None Surface Cast 9-5/8 364 & 404 New 4,638' Baker None Rome Intermediate (MUDDING AND CEMENTING RECORD SIZE OF CASING WHERE NO. SACKS OF CEMENT USED GRAVITY MUD USED 7-1/2 13-3/8 452' 500 Pump & Fing 10.56/gal Hole full	13-3/8 484 Rew 452' Baker None None Surface Cast 9-5/8 364 & 404 New 4,638' Baker None Rome Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452' 500 Pump & Fing 10.54/gal Hole full	o. 4, from	•		•	to	•••••		.feet	· · · · · · · · · · · · · · · · · · ·	••••••
9-5/8 36# & 40# New 4,638 Baker None Rome Intermediate (MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Pump & Plag 10.56/gal Hole full	9-5/8 36# & 40# New 4,638 Baker None Rome Intermediate 6 MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Page & Ping 10.5#/gal Hole full		WEIG	HT N	EW OR		CASING RECOR	CUT AND		· · · · · ·	
SIZE OF SIZE OF CASING SET NO. SACKS METHOD BUD GRAVITY MUD USED 7-1/2 13-3/8 452 500 Pump & Plms 19.56/gal Hole full	SIZE OF SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF MUD USED 7-1/2 13-3/8 452' 500 Pump & Ping 10.56/gal Hole full	SIZE	WEIG PER P	HT N	EW OR USED	AMOUNT	CASING RECOR	CUT AND PULLED FROM	PERFORATIO	vs PURPO)SE
SIZE OF SIZE OF CASING WHERE NO. SACKS METHOD USED MUD AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Page & Ping 19.59/gal Hole full	SIZE OF CASING WHERE NO. SACES METHOD MUD AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Pump & Plag 10.59/gal Hole full	size 13-3/8	WEIG PER FO	HT N	ew or Used	AMOUNT	CASING RECOR	CUT AND PULLED FROM	PERFORATION NO.	rs PURPO	ose • Cacia
SIZE OF SIZE OF CASING WHERE NO. SACKS METHOD USED MUD AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Page & Ping 19.59/gal Hole full	SIZE OF CASING WHERE NO. SACES METHOD MUD AMOUNT OF MUD USED 7-1/2 13-3/8 452 500 Pump & Plag 10.59/gal Hole full	size 13-3/8	WEIG PER FO	HT N	ew or Used	AMOUNT	CASING RECOR	CUT AND PULLED FROM	PERFORATION NO.	rs PURPO	ose • Cacia
7-1/2 13-3/8 452' 500 Pump & Flug 10.56/gal Hole full	7-1/2 13-3/8 452' 500 Pump & Flug 10.50/gal Nole full	size 13-3/8	WEIG PER FO	HT N	ew or Used	AMOUNT	CASING RECOR	CUT AND PULLED FROM	PERFORATION NO.	rs PURPO	ose • Cacia
7-1/2 13-3/8 452' 500 Pump & Flug 10.50/gal Hole full	7-1/2 13-3/8 452' 500 Pump & Flug 10.50/gal Hole full	size 13-3/8	WEIG PER FO	HT N	ew or Used	AMOUNT 452' 4,636'	CASING RECOR	CUT AND PULLED FROM Home	PERFORATION NO.	rs PURPO	ose • Cacia
		SIZE 13-3/8 9-5/8	WEIGFER FO	HT NOOT N	EW OR USED	AMOUNT 452' 4,638'	CASING RECOR KIND OF SHOE Baker Baker AND CEMENTI	CUT AND PULLED FROM Home Home None	PERFORATION NOME NOME	Surfac Intermed	o Cacia iate Ca
		SIZE 13-3/8 9-5/8 SIZE OF HOLE	WEIGPER FO	WHERE SET	EW OR USED	AMOUNT 452' 4,638' MUDDING NO. SACES OF CEMENT	CASING RECOR RIND OF SHOE Baker Baker AND CEMENTI METHOD USED	CUT AND PULLED FROM Hone None	PERFORATION NOME NUD RAVITY	Surface Intermed AMOUNT O MUD USEI	o Cacia iate Ca
		SIZE 13-3/8 9-5/8 SIZE OF HOLE 7-1/2	WEIGPER FO	WHERE SET	EW OR USED	AMOUNT 452' 4,638' MUDDING NO. SACES OF CEMENT 500	CASING RECOREMENTS Baker Baker AND CEMENTS METHOD USED	CUT AND PULLED FROM Home None	PERFORATION Nome Home MUD RAVITY	AMOUNT O MUD USEI	o Casi
RECORD OF PRODUCTION AND STIMULATION		SIZE 13-3/8 9-5/8 SIZE OF HOLE 7-1/2	WEIGPER FO	WHERE SET	EW OR USED	MUDDING NO. SACES OF CEMENT 500 500 cu.ft	CASING RECORE KIND OF SHOE Baker Baker AND CEMENTI METHOD USED Pump & Flug Pump & Flug	CUT AND PULLED FROM Home Home NG RECORD	PERFORATION NORE MUD RAVITY // SAL	AMOUNT O MUD USEI	o Casi
RECORD OF PRODUCTION AND STIMULATION (Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	SIZE 13-3/8 9-5/8 SIZE OF HOLE 7-1/2	WEIGPER FO	WHERE SET 452 4,638	EW OR USED	MUDDING NO. SACES OF CEMENT 500 CM. ft	CASING RECOREMENTS Baker Baker AND CEMENTS METHOD USED Pump & Flug Pump & Flug Prop & Flu	PULLED FROM Home Home NG RECORD G 10.3	PERFORATION Home Home MUD RAVITY F/SAL F/SAL	AMOUNT O MUD USEI	o Casi: iete G
		SIZE 07 HOLE 7-1/2 2-1/4	WEIG PER PA 360 4 360 4 SIZE OF CASING 13-3/8 9-5/8	WHERE SET 452 4,638	EW OR USED	MUDDING NO. SACES OF CEMENT 500 CM. ft	CASING RECOREMENTS Baker Baker AND CEMENTS METHOD USED Pump & Flug Pump & Flug Prop & Flu	PULLED FROM Home Home NG RECORD G 10.3	PERFORATION Home Home MUD RAVITY F/SAL F/SAL	AMOUNT O MUD USEI	o Casix iate G
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) No Stimulation	No Stimulation	SIZE 07 HOLE 7-1/2 2-1/4	WEIGFER FOR SIZE OF CASING 13-3/8 9-5/8	WHERE SET 452 4,638 (Reco	EW OR USED	MUDDING NO. SACES OF CEMENT 500 CM. ft rocess used, No.	AND CEMENTI METHOD USED PROP & Plug PRODUCTION A o. of Qts. or Gals	PULLED FROM Home Home NG RECORD G 10.5 ND STIMULAT	MUD RAVITY // SAL // CON treated or shot.)	AMOUNT O MUD USEI Hole full	ose • Casia iata Go
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) No Stimulation NOTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapse	NoTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapsed	SIZE 07 HOLE 7-1/2 2-1/4	WEIGFERFO	WHERE SET 452 4,638 (Reco	EW OR USED Bew It was a second of the P	MUDDING NO. SACES OF CEMENT 500 CM. ft rocess used, No.	AND CEMENTI METHOD USED Pump & Plug Pump &	PULLED FROM Home Home NG RECORD G 10.3 10.3 LOSTIMULAT used, interval	MUD RAVITY // SAL // CON treated or shot.)	AMOUNT O MUD USEI Hole full Hole full	e Casia iata Gr
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) NOTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapses when drilling at 5298". A replacement well, the Superior - C.H. Coates No. 1	NOTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapsed when drilling at 5298'. A replacement well, the Superior - G.H. Coates No. 1-	SIZE 13-3/8 9-5/8 SIZE OF HOLE 7-1/2 2-1/4	WEIG PER PORT AND	WHERE SET 452 4,638 (Reco	EW OR USED Hew It was plug at 1	MUDDING NO. SACES OF CEMENT 500 SUPERIOR OF 1 Process used, No. Saces used, No	AND CEMENTI METHOD USED Pump & Flug Prop	PULLED FROM Home Home NG RECORD G 10.3 10.9 ND STIMULAT used, interval ter 9-5/8"	MUD RAVITY #/gal #/gal TON treated or shot.) intermedia:	AMOUNT O MUD USEI Hole full Hole full	o Casia iata Ga
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) No Stimulation NOTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapse	NOTE: This well was plugged and abandoned after 9-5/8" intermediate casing collapsed when drilling at 5298'. A replacement well, the Superior - G.H. Coates No. 1-	SIZE 07 HOLE 7-1/2 2-1/4	SIZE OF CASING 13-3/8 9-5/8	WHERE SET 452 4,638 (Reco	EW OR USED Hew It was plug at 1	MUDDING NO. SACES OF CEMENT 500 SUPERIOR OF 1 Process used, No. Saces used, No	AND CEMENTI METHOD USED Pump & Flug Prop	PULLED FROM Home Home NG RECORD G 10.3 10.9 ND STIMULAT used, interval ter 9-5/8"	MUD RAVITY #/gal #/gal TON treated or shot.) intermedia:	AMOUNT O MUD USEI Hole full Hole full	o Casia iata Ga

RECORD OF DRILL-STEM AND SPECIAL TPSTS

If drill-stem or other specia. ...ts or dexiation surveys were made, submit report ... separate sheet and attach hereto

TOOLS USED

Rotary to	ols were u	sed from				•			feet to	
Cable too	ols were use	ed from	fe	t to		feet, an	d from	•••••••	feet to	fee t .
					PRODU	CTION				
Put to Pi	oducing		No Production	M.	., 19					
OIL WE	J.L. The	production					barı	rels of liq	uid of which	% was
OIL WE		-,								
						••••••	% water	; and	% was s	eaiment. A.P.I.
	1	-								
GAS WE	LL: The	production	during the first 24	hours was	3	N	A,C.F. plu	18	·····	barrels of
	liqu	id Hydroca	rbon. Shut in Press	ırc	lbs.					
Length o	of Time Sh	ut in	***************************************							
						PORMANO		CEROGE	RAPHICAL SECTION	OF STATES
PLE	ASE IND	ICALE BI	Southeastern Ne		(IN COM	OLUMAN	E WILL	. GEOGI	Northwestern New	
T. Anh	v	22	35'		nian			Т.	Ojo Alamo	
					ian			¢	Kirtland-Fruitland	
B. Salt.		21	051		toya				Farmington	••••••
T. Yate	8		••••		son				Pictured Cliffs	
					lee				Menefee Point Lookout	
	• .	*			burger Wash				Mancos	
T. Gray T. San	Andres	45	51'		ite				Dakota	
				T				т.	Morrison	······································
T. Drin	kard			т				т.	Penn	

1, 14132			······································		RMATIO			,		
From	To	Thickness	For	nation		From	То	Thicknes	s Formatic	on
	-	in Feet						in Feet		
_							. '			
0 2235	2235' 4551'	2235' 2316'	Redbeds & & Anhydrite,		. Sand					
			& ecettered							
4551	5 29 8 '	7471	Dolamite vi	th tra	os of					
			Chart.					,	'	
	1					1	1 0			
										-
									-	
									Her are past the	
	. :		A (T)(T) A (C) T (C) T)	A D A Mm	EIDEN TO	A INDITATO	NAT ST	(OE TO -	TEEDED	
			ATTACH SEP					•		
				on given h	erewith is a	complete	and correc	ct record	of the well and all work	done on it so fa
as can b	e determin	ed from av	ailable records.	* *. *.			G\$1. 7	hull	ruson	1-28-64
	_	75	ne Superior (il com	nány			0. Bos	: 1900, Midland	(Date)
Compan	y or Opera				<u> </u>	Address.	• • • • • • • • • • • • • • • • • • • •	••••••	roleum Engineer	
		3.	H. Freeland	JT.		Donision	or Title	745	rather Toxiliaes.	

3000 mm 13.0.c.

THE SUPERIOR OIL COMPANY

Jan 33 3 45 77 64

G. H. COATES NO. 1 TABULATION OF DEVIATION SURVEYS

LOCATION: 1980' FNL & 1980' FWL

Section 19, T-13-S, R-38-E Les County, New Mexico

(FEET)	DEVIATION (DEGREES)
250	1/2
452	1
972	1
1,424	1-1/4
1,928	1
2,222	1
2,750	1-1/4
3,022	1-1/4
3,436	1-1/4
3,972	1-1/2
4,290	1-1/4
4,519	1
5,298	1/2

I certify that the above information is true and complete to the best of my knowledge.

B. H. Freeland, Jr. Petroleum Engineer

The Superior Oil Company

Subscribed and sworn to before me this 28th day of January, 1964.

DONALD W. EASTWOOD

Notary Public in and for Midland

County, Texas

My Commission Expires June 1, 1965

G. A. GOARRS AS. I TABULATILM OF DEVIATION SHERVES

LOCATION: 1930' PNL E 1980' PNL Section 15, T-13-5, 8-31-8 5-4 (ounty, Mer Mexico

ANITAINAU	Depth
(DECRETS)	
51/2	250
8	452
·	072
11.10	. ,424
į	1,923
# 100 miles	2,222
\$ \{! − }	2,730
4/[-)	3,022
A. I	3,436
1-1/2	3,978
41.20	6,290
F	e :5 19
2 14	5,298

t correct that the above information is true and complete to the best of my Land Colored

resalzed musication

The Superior Oil Company

beducktive and were to before me this 28th day or january, 1964.

DONALD W. EASTWOOD

western subject in and for

Councy, Paxes

My Commission Exphase June 1, 1955