

COUNTY	LEA	FIELD	Undesignated	STATE	N.M.
OPR	GOSSE, STEVE	MAP			
1 Midwest-State					
Sec. 18, T-14-S, R-34-E					
810' fr N Line & 660' fr E Line of Sec.					
CLASS EL 41718					
Spud 8-23-64					
P&A 9-29-64					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
13 3/8"	335'	350	Anhy 1828		
8 5/8"	4500'	800	Glor 5838		
			Abo 7245		
			Permo-Penn		
			Pay 10330		
LOGS EL GR RA IND HC A		TD 10,515'			

PLUGGED & ABANDONED.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Sharp Drlg. Co. PROP DEPTH 10,500' TYPE
DATE

F. R. 7-30-64; Oper's Elev. 4160' DF.
PD 10,500' - Pennsylvanian
Contractor - Sharp Drlg. Co.
8-24-64 Drlg. 400'.
8-31-64 TD 4500', prep to run csg.
9-8-64 Drlg. 6486'.
9-14-64 Drlg. 8320' lm. & sh.
9-21-64 Drlg. 9883', lm. & sh.
9-28-64 TD 10,515', prep to P&A.
LST 10305-505', open 1 hr.
Rec. 170' mud,
1 hr. ISIP 3204#, FP 231-231#,
1 hr. FSIP 1155#.
WLT 9504-07', open 1 hr.,
Rec. 150 CC's wtr. (46% form. wtr.) +
1.48 CF gas, pressures less than 100#.
10-5-64 TD 10,515', Plugged & Abandoned.

Steve Gose ✓
East Seander
TD 10515
4500'
Type Penn 10,296 -
9,478 -

255x 16,300
" 9,500
" 8,000
" 7,270
" 5,840
" 4,000 shoe
" stub
" surface shoe

C-102 } 2000
C-103 }

117 Lom.

117 1/2 Falls