## Submit 3 Copies

## State of New Mexico Energy, ....nerals and Natural Resources Department

Form C-103 Revised 1-1-89

- DATE

to Appropriate District Office

**DISTRICT I** P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

## OIL CONSERVATION DIVISION

WELL API NO. P.O. Box 2088 30-025-21287 Santa Fe, New Mexico 87504-2088

P.O. Drawer DD, Artesia, NM 88210	5.	STATE X FEE	
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410		State Oil & Gas Lease No. K-1038	
SUNDRY NOTICES AND REPORTS ON WELL	.s ///		
( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		Lease Name or Unit Agreement Name	
1. Type of Well: OIL GAS WELL X WELL OTHER WORKOVE	R	State "C"	
2. Name of Operator	8.	Well No.	
YATES PETROLEUM CORPORATION (505) 748	3-1471	1 .	
3. Address of Operator	9.	Pool name or Wildcat	
105 South 4th St., Artesia, New Mexico 88210		Nonombre Upper Penn	
4. Well Location			
Unit Letter K: 1980 Feet From The South	Line and 1980	Feet From The West Line	
Section 32 Township 13S Ran		M Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3168 GR			
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
•• •		QUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLING OP	NS. PLUG AND ABANDONMENT	
PULL OR ALTER CASING	CASING TEST AND CEMENT JOB		
OTHER:	OTHER: Perforate,	treat, test Ranger Lake	
10 D - 2 D - 4 - C - 144 O - 145 O - 1			

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Drilled out retainer at 10660'; CIBP at 10710'. Perforated 10757-10765' w/20 .40" holes (4 SPF) as follows: 10757, 759, 761, 763, and 10765'. Acidized perfs 10757-10765' w/700 gals 15%

NEFE. Pumped 1000 bbls X-link polymer into perfs 10757-10765'. Perforated 10715, 717, and 10719' w/12 -50" holes (4 SPF). Acidized perfs 10715-10719' w/500 gals 15% NEFE. Pumped 1000 bbls X-link polymer into perfs 10715-10719' Shut well in for 5 days.
TIH with sand jet tool and sand jet 2 holes at 10698' and 2 holes at 10695'. TIH w/CIBP and

set at 10711'. Swab/tested well. Perforated 10696, 697, 699 and 10700' (2 SPF-8 holes). Acidized perfs 10696-10700' w/2500 gals 15% NEFE acid. Put well on pump 2-4-92. Work began 1-18-92 - completed 2-4-92.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE Canita Doubles TIME Production Supe	ervisor DATE 2-5-92	
TYPE GKPRINT NAME Juanita Goodlett	TELEPHONE NO. 505/748-147	
(This space for State Use)	FEB 1 2'92	

TITLE .

APPROVED BY-CONDITIONS OF APPROVAL, IF ANY: