

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-22065
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Turner
8. Well No.	1
9. Pool name or Wildcat	Tatum (Wolfcamp)
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	4023' DF

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐
2. Name of Operator
Union Oil Company of California
3. Address of Operator
P.O. Box 671 - Midland, Texas 79702
4. Well Location

Unit Letter D : 660 Feet From The north Line and 660 Feet From The west Line

Section 5 Township 13-S Range 36-E NMPM Lea County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See attached procedures.

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bobby Bryan TITLE Sr. Prod. Foreman DATE 6-28-89
TYPE OR PRINT NAME Bobby Bryan TELEPHONE NO. (915) 682-9731

(This space for State Use)

Orig. Signed by,
Paul Kautz
Geologist

APPROVED BY _____ TITLE _____ DATE JUL 2 1989

CONDITIONS OF APPROVAL, IF ANY:

PROCEDURE:

1. Notify NM Oil Commission. MI RU DD PU. POH. LD P&R's. NU BOP's. Rel TAC & TOH w/tbg.
2. Run 5-1/2" cmt ret on WL & set @ 10,000'. Run stinger on tbg. Establish inj rate into Wolfcamp perfs 10,283-10,315'. Disp hole w/10# mud laden brine. Cmt sqz perfs w/50 sxs "E" & dump 5 sxs on ret (Plug #1: 9960-10,315'). TOH.
3. NU BOP's & tbg spool. NU 5-1/2" pull nipple, BOP's & csg jacks. Work 5-1/2" csg & estimate flow by stretch (TOC @ 8950'). Shoot csg & work free (mud on BKSD 9.3# 48 vis, 6 cc, 7 pl 10% oil). POH, LD 5-1/2" csg.
4. Run OE'd tbg to 7400'. POH, Spotting cmt plugs as follows:
 - @ 7400': 65 sxs "C" (Plug #2: 7150-7400') w/100% fill up.
 - @ 5950': 65 sxs "C" (Plug #3: 5700-5950')
 - @ 4525': 65 sxs "C" (Plug #4: 4275-4525')
5. PUH & WOC 4 hrs. Tag Plug #4. Spot additional cmt if top of Plug #4 is deeper than 4411'.
6. PUH & spot 45 sxs "C" @ 3100' (Plug #5: 2935-3100'). TOH.
7. Perf 8-5/8" csg @ 2180' w/4 holes. Set 8-5/8" cmt ret @ 2080'. Run stinger on tbg to cmt ret. Sqz perfs w/100 sxs "C" & dump 5 sxs on ret (Plug #6: 2065-2180'). POH.
8. ND BOP & csg spool. Shoot 8-5/8" csg @ ±400'. PU 8-5/8" csg & work free. POH, LD 8-5/8" csg.
9. Run OE'd tbg to 377'. POH. Spotting cmt plugs as follows:
 - @ 377': 100 sxs "C" (Plug #7: 180-377') - *BOTTOM OF PLUG MUST BE 50' IN STUB*
 - @ 40' : 15 sxs "C" (Plug #8: 3' BGL-40')
10. Cut off well hd & weld on P&A marker. Clean up location.

RECEIVED

JUN 30 1989


OCD
HOBBS OFFICE

PREPARED BY: J. T.	REVIEWED BY:	DATE: 5.26.87	1-2
-----------------------	--------------	------------------	-----

TURNER WELL NO. 1 - TATUM (WOLF CANY) FIELD

LOCATION. 660' FN & WL, SEC 5, T-13-S, R-36-E,
LEA COUNTY, NEW MEXICO.
KB DATUM IS ABOVE 4006' GL

SPURRED: 3-24-67 COMP 7-12-67



FORMATION TOPS	
TOP RED BED	200'
ANHYDRITE	2130'
YATES	3025'
SAN ANDRES	4412'
GLORIETA	5383'
TUBB	7332'
ABO	3075'
WOLF <u>CAMP</u>	9483'
PENN	10490'
CHESTER	12755'
WOODFORD	14019'
SILURIAN	1495'

UNOCAL 76

P&A - AFTER

JIT

5-30-89

2:2

TURNER WELL #1

