

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED
10460

Rotary tools were used from 0 feet to feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 9/20/57, 19

OIL WELL: The production during the first 24 hours was 209 barrels of liquid of which 95.6% was oil; 14.4% was emulsion; 14.4% water; and 41% was sediment. A.P.I. Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Rustler	1695		T. Devonian	Cisco 10,310	
T. Anhy	2620		T. Silurian		
T. Salt	2721		T. Montoya		
B. Salt	2840		T. Simpson		
T. Yates			T. McKee		
T. 7 Rivers			T. Ellenburger		
T. Queen			T. Gr. Wash		
T. Grayburg	4361		T. Granite		
T. San Andres	5450		T.		
T. Glorieta			T.		
T. Drinkard	5900		T.		
T. Tubbs	7321		T.		
T. Abo	8029		T.		
T. Penn	8700		T.		
T. Miss			T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	415	415	Surface rock & Redbed				
415	2712	2712	Anhy & Salt				
2712	848	848	Anhy & Gyp				
848	103	103	Anhy & Lime				
103	3529	3529	Lime				
3529	291	291	Lime & Shale				
291	2430	2430	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

San Roman
Company or Operator
Name
Address
Position or Title
Date 9/25/57