

30-025-22231

COUNTY LEA FIELD Morton, N. STATE NM OWWO
 OPR FEATHERSTONE, OLEN F. MAP
1 Anderson Fee
 Sec 29, T-14-S, R-35-E CO-ORD
 660' FSL, 660' FWL of Sec.

	CLASS		EL'	
	FORMATION	DATUM	FORMATION	DATUM
Re-Cmp 11-8-68				
CSG & SX . TUBING				
13 3/8" at 375'				
8 5/8" at 4520' w/500 sx				
5 1/2" at 10,660' w/200 sx				
LOGS EL GR RA IND HC A				
	TD 10,700'; PBD 10,660'			

IP (Pennsylvanian) Perf 10,545-571' P 24 BOPD + 290 BW. Pot
 based on 24 hr test

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 10,571' TYPE WO
 DATE

F.R.C. 12-19-68
 PD 10,571' WO
 (Orig. Temp. Aban. 11-10-67, OTD 10,700',
 OPB 10,660')
 12-16-68 TD 10,700'; PBD 10,660'; COMPLETE
 Perf 10,545-547', 10,556-558', 10,568-570'
 w/1 SPF
 Re-perf 10,567-571' w/2 SPF
 12-19-68 COMPLETION REPORTED

10-3-67 TD 10700', WOC.
DST 10211-320', open 1 hr,
Used 728' WB,
Rec 728' WB + 273' Mud,
1 hr ISIP 1051#, FP 300-321#,
1 hr FSIP 665#.
DST 10415-495', open 3 hrs,
Used 758' WB,
Rec 758' WB, 273' Sli GCM + 1790' Sli
GC Salt Wtr,
1 hr ISIP 3845#, FP 522-1350#,
2 hr FSIP 3260#.
DST 10528-572', open 3 hrs, 15 mins,
Used 900' WB,
GTS 20 mins,

Rec 12.6 Bbls WB, 8.4 BO (Gravity 45.)
+ 56 B Salty Sul Wtr,
1 hr ISIP 3980#, FP 772-2539#,
2 hr FSIP 3874#.

10-9-67 TD 10700', tstg., tight.
10-16-67 TD 10700', tstg., tight.
10-30-67 TD 10700', PED 10660', prep P&A.
Perf 10545-547', 10556-558', 10568-570'
Acid (10545-570') 500 gals.
Communication of top two zones
Broke @ 5600#;
Swbd 100% wtr & Acid Wtr (10545-570')
Sqzd 10545-570' W/100 ex.
Perf 10567-570'
Acid (10567-570') 500 gals.
Pressured up to 6000#;
Would not break down
Pulled Tubing

COUNTY LEA FIELD Morton, N. STATE NM

OPR FEATHERSTONE, OLEN F. MAP

Anderson, Dee

Sec. 26, T-14-S, R-35-E CO-ORD

660' SW, 660' SW of Sec. 30-025-22231

Spd 8-28-67

Cms 11-10-67

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" 375'				
3 3/8" 4520' 500				
5 1/2" 10660' 200				
LOGS EL GR RA IND HC A				

TD 10700'

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

COMP Moran Drilg. Co. PROP DEPTH 10,300' TYPE RT

DATE

S.R. 8-31-67
FD 10,800' - Penn.
Contr. - Moran

11-13-67 AMEND SHELD DESIGNATION: Formerly reported as
Undesignated

9-5-67 FD 4520', WOC.

9-11-67 Drilg. 6570'.

9-18-67 Drilg. 9070'.

9-28-67 FD 10620', pulling test tool.
FSD 9770-9860', open 1 hr,
Rec 434' S11 GCM,
1 hr ESIP 3048#, EF 225-236#,
1 hr ESIP 2497#.

10-30-67 Cont.
Perf 10567-570' W/paper dyno jet
Acid (10567-570') 500 gals.
Swbd 40 BFPH (2% oil) for 24 hrs
(10567-570')

11-13-67 TD 10700', PSD 10660', TEMP. ABANDONED
LOG: SA 4478', Glorieta 5890', Tubb 7432',
Abo 8083', Hueco 9750', Permo-Pennsylvanian
10322'.