

4-9-68 Cont.
Swbd 145 BLW w/sli show gas (9924-41')
• Perf 9889-98'
Acid (9889-98') 2000 gals (28%) +
2000 gals (3%)
Swbd 168 BLW
4-16-68 TD 10,000', WO Pumping Equipment.
4-23-68 TD 10,000', TOP
Pmpd 36 BO + 860 B Salt Wtr in 24 hrs.
4-30-68 TD 10,000', WO Pot.
Pmpd 142 BO + 1018 BW in 24 hrs.
5-6-68 TD 10,000', COMPLETE
LOG: Anhy 1660', Yates 2575', SA 3977',
Tubb 6903', Abo 7647', Wolfeamp 9024',
Pennsylvanian 9716', Bough "C" 9857'.

COUNTY	LEE	FIELD	Baum	STATE	NM
OPR	COASTAL STATES GAS PRODUCING CO.				MAP
	1 State 31				
	Sec. 31, T-13-S, R-33-E				CO-ORD
	1881' FSL, 759' FWL of Sec.				30-025-22464
	Spd 3-10-68				
	Cmp 4-9-68				
	CLASS		EL		
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
13 3/8" 368' 350					
8 5/8" 4082' 300					
5 1/2" 10000' 200					
LOGS EL GR RA IND HC A					
	TD 10,000'				

IP Pennsylvanian Perfs 9889-9941' Pmpd 142 BOPD + 509 BW. Pot.
Based on 24 hr test, gravity 42.3, GOR 1099.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran Drlg. Co. PROP DEPTH 10,200' TYPE RT
DATE

F.R. 3-14-68; Elev. 4285' GL
PD 10,200' - Wolfcamp
Contr. - Moran
3-18-68 Drlg. 4426'.
3-26-68 Drlg. 7730'.
4-2-68 TD 9787', trip.
4-9-68 TD 10,000', swbg.
DST 9881-9950', open 1 hr 45 mins,
GTS 3 mins,
rec 4850' gas in DP, 2700' oil +
2300' wtr,
1 hr ISIP 3307#, FP 2067-2852#,
1 hr 30 min FSIP 3006#, HP 4838#.
Perf 9924-41'
Acid (9924-41') 2000 gals (28%) + 2000
gals (3%)

4-9-68 Cont.
 Swbd 145 BLW w/sli show gas (9924-41')
 Perf 9889-98'
 Acid (9889-98') 2000 gals (28%) +
 2000 gals (3%)
 Swbd 168 BLW
4-16-68 TD 10,000', WO Pumping Equipment.
4-23-68 TD 10,000', TOP
 Pmpd 36 BO + 860 B Salt Wtr in 24 hrs.
4-30-68 TD 10,000', WO Pot.
 Pmpd 142 BO + 1018 BW in 24 hrs.
5-6-68 TD 10,000', COMPLETE
 LOG: Anhy 1660', Yates 2575', SA 3977',
 Tubb 6903', Abo 7647', Wolfcamp 9024',
 Pennsylvanian 9716', Bough "C" 9867'.