

COUNTY	LEA	FIELD	Lazy J	STATE	NM
OPR	HANAGAN PETROLEUM CORP.				
	1 Depco-State				
	Sec. 28, T-13-S, R-33-E				
	330' FNL, 1980' FWL of Sec.				
	Spd 4-10-68				
	Cmp 5-10-68				
CSG & SX - TUBING		CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM
11 3/4"	338'	330 SX			
8 5/8"	4030'	540 SX			
LOGS EL GR RA IND HC A		TD 9811'			
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. McVay Drlg. Co.
 DATE

PROP DEPTH 9900'

TYPE RT

F.R. 4-11-68
 PD 9900' - Penn.
 Contr. - McVay Drlg. Co.
 4-15-68 Drlg. 3600'.
 4-22-68 Drlg. 5790'.
 4-29-68 Drlg. 8252'.
 5-6-68 TD 9766', prep to DST.
 DST 9620-9710', open 1 hr 30 mins,
 CTS 8 mins,
 Rev out 310' HO&GCM
 Rec 90' HO&GCM,
 45 min FSIP 1225#, BP 134-184#,
 1 hr 30 min FSIP 757#.

LEA Lazy J NM
HANAGAN PET. CORP., #1 Depco-State

Sec. 28-1-S-33E

Page #2

5-13-68

TD 9811', PLUGGED & ABANDONED

DST 9721-66', open 1 hr,

rec 1500' gas in DP + 7880' salt wtr,

45 min ISIP 2913#, FP 2113-2898#,

1 hr FSIP 2928#.

DST 9785-9811', open 1 hr,

rec 60' MC Salt Wtr + 170' Salt Wtr,

45 min ISIP 2933#, FP 57-96#,

45 min FSIP 2862#.

SP DST 9742-50', open 1 hr,

rec 4185' salt wtr,

no pressures.

LOG: Yates 2555', Queen 3340', SA 3958',

Glor 5439', Abo 7620', Wolfcamp 9066',

Bough "C" 9740'.

TD 9811

IT 21092-1 cr

Bough C 9740 - 25 sks

#1 Duro 5/1

Wife 9066

28-13-33

Abo 7620 - 25 sks

Tubb 6854

Glor 5439 — 25 sks

85/8 4030 — 25 sks

T salt 1770 25 stub

25 top salt

25 shoe

10 cap

Memo:

From

J. D. Ramey, Supervisor &
Oil & Gas Inspector

To