

RAILROAD COMMISSION OF TEXAS
OIL AND GAS DIVISION
INCLINATION REPORT

Form I-1
11-2-62

PAGE 1 of 2

ONE COPY MUST BE FILED WITH EACH COMPLETION REPORT

Field Name West Bronco County Lea, New Mexico RRC Dist. No. _____
Operator SCROGGINS & RONNEBERG, LTD. Address 1224 Vaughn Plaza City Corpus Christi, Texas
Lease Name & No. Kulon #1 Well No. 1 Survey _____

RECORD OF INCLINATION

2310' FSL, 330' FEL, Sec 1
Twp. 13-S, Rge. 37-E

Depth (feet)	Angle of Inclination (degrees)	Displacement (feet)	Accumulative Displacement (feet)
390	1/4		
675	1/2		
1,400	1/4		
1,912	3/4		
2,295	1/2		
2,801	1		
3,434	1/4		
4,157	1-3/4		
4,502	1-1/4		
4,827	3/4		
5,325	1/2		
6,006	1/4		
6,216	1/2		
7,010	3/4		
7,356	3/4		
7,883	3/4		
8,379	3/4		
8,905	3/4		
9,405	1/4		
9,530	3/4		
9,713	1/2		

Total Displacement _____

Was survey run in Tubing _____ Casing _____ Open Hole _____
Distance to nearest lease line _____ feet
Distance to lease lines as prescribed by field rules _____ feet

Certification of personal knowledge Inclination Data:

I hereby certify that I have personal knowledge of the data and facts placed on this form, and that such information given above is true and complete.

Signature _____

Company _____

Operator Affidavit:

Note: Party making affidavit must strike out inapplicable phrases, and must file explanatory statement when applicable.)

Before me, the undersigned authority, on this day, personally appeared _____, known to me to be the person whose name is subscribed hereto, who, after being duly sworn, on oath states that he is the operator of the well identified in this instrument (that he is acting at the direction and on behalf of the operator of the well identified in this instrument), and that such well was not intentionally deviated from the vertical whatsoever. (and that such well was deviated at random for the reason described in the attached statement).

Signature and Title of Affiant _____

Sworn and Subscribed to before me, this the _____ day of _____,

Notary Public in and for _____
County, Texas.

Use Only:

Approved By: _____
Title: _____
Date: _____

II. INCLINATION SURVEYS

A. Requirement of

1. An inclination survey made by persons or concerns approved by the Commission shall be filled on a form prescribed by the Commission for each well drilled or deepened with rotary tools or when as a result of any operation the course of the well is changed.

a. The first shot point of such inclination survey shall be made at a depth not greater than 500 feet below the surface of the ground and succeeding shot points shall be made either at 500 foot intervals or at the nearest drill bit change thereto; but not to exceed 1000 feet apart.

2. Inclination surveys conforming to these requirements may be made either during the normal course of drilling or after the well has reached total depth. Acceptable directional surveys may be filled in lieu of inclination surveys.

3. Copies of all directional or inclination surveys, regardless of the reason for which they are run, shall be filled as a part of or in addition to the inclination surveys otherwise required by this rule.

B. Reports

1. The report form prescribed by the Commission shall require that it be signed and certified by a party having personal knowledge of the facts therein contained.

a. The report shall include a tabulation of the maximum drifts which could occur between the surface and the first shot point and each two successive shot points, assuming that all of the unsurveyed hole between any two shot points has the same inclination as that measured at the lowest shot point, and the total possible accumulative drift, assuming that all measured angles of inclination are in the same direction.

2. In addition, the report shall be accompanied by a sworn statement of the operator, or of someone acting at his direction on his behalf either, (1) that the well was not intentionally deviated from vertical whatsoever or, (2) that the well was deviated at random, with an explanation of the circumstances.

3. The report shall be filled in the District Office of the Commission for the district in which the well is drilled, by attaching one copy to each appropriate completion form for the well.

4. The Commission may require the submittal of the original charts, graphs, or discs resulting from the surveys.

INCLINATION REPORT

PAGE 2 of 2

Field Name West Bronco County Lea, New Mexico RRC Dist. No.
Operator Scroggins & Konneberg, Ltd. Address 1224 Vaughn Plaza City Corpus Christi, Texas
Lease Name & No. Rulon #1 Well No. 1 Survey

RECORD OF INCLINATION

[illegible]

Was survey run in Tubing _____ Casing _____ Open Hole _____
Distance to nearest lease line _____ feet
Distance to lease lines as prescribed by field rules _____ feet

I hereby certify that I have personal knowledge of the data and facts placed on this form, and that such information given above is true and complete. /

Company

(Note: Party making affidavit must strike out inapplicable phrases, and must file explanatory statement when applicable.)

Before me, the undersigned authority, on this day, personally appeared _____, known to me to be the person whose name is subscribed hereto, who, after being duly sworn, on oath states that he is the operator of the well identified in this instrument (that he is acting at the direction and on behalf of the operator of the well identified in this instrument), and that such well was not intentionally deviated from the vertical whatsoever. (and that such well was deviated at random for the reason described in the attached statement).

Signature and Title of Affiant

Sworn and Subscribed to before me, this the 24th day of March, 19 69.

Notary Public in and for Midland
County, Texas.

RRC Use Only:

Approved By: _____
Title: _____
Date: _____

II. INCLINATION SURVEYS

A. Requirement of

1. An inclination survey made by persons or concerns approved by the Commission shall be filled on a form prescribed by the Commission for each well drilled or deepened with rotary tools or when as a result of any operation the course of the well is changed.

a. The first shot point of such inclination survey shall be made at a depth not greater than 500 feet below the surface of the ground and succeeding shot points shall be made either at 500 foot intervals or at the nearest drill bit change thereto; but not to exceed 1000 feet apart.

2. Inclination surveys conforming to these requirements may be made either during the normal course of drilling or after the well has reached total depth. Acceptable directional surveys may be filled in lieu of inclination surveys.

3. Copies of all directional or inclination surveys, regardless of the reason for which they are run, shall be filled as a part of or in addition to the inclination surveys otherwise required by this rule.

B. Reports

1. The report form prescribed by the Commission shall require that it be signed and certified by a party having personal knowledge of the facts therein contained.

a. The report shall include a tabulation of the maximum drifts which could occur between the surface and the first shot point and each two successive shot points, assuming that all of the unsurveyed hole between any two shot points has the same inclination as that measured at the lowest shot point, and the total possible accumulative drift, assuming that all measured angles of inclination are in the same direction.

2. In addition, the report shall be accompanied by a sworn statement of the operator, or of someone acting at his direction on his behalf either, (1) that the well was not intentionally deviated from vertical whatsoever or, (2) that the well was deviated at random, with an explanation of the circumstances.

3. The report shall be filled in the District Office of the Commission for the district in which the well is drilled, by attaching one copy to each appropriate completion form for the well.

4. The Commission may require the submittal of the original charts, graphs, or discs resulting from the surveys.