

COUNTY LEA FIELD Water Disposal Well STATE NM
 OPR SAGE OIL CO. API 30-05-1328
 IO WD-1 LEASE Shell State MAP
 Sec 32, T14S, R34E CO-ORD
 1980 FSL, 1980 FWL of Sec RE 2-1-25 NM
 25 mi SE/Caprock SPD 12-1-82 CMP 12-17-82

CSC
 11 3/4-400-400 sx
 8 5/8-4475-300 sx
 2 7/8-4405

WELL CLASS: INIT UX FIN U LSE CODE			
FORMATION	DATUM	FORMATION	DATUM
TD 10,700 (PSLV)		PBD 5900	

(San Andres) OH 4475-5900 WATER DISPOSAL WELL

CONTR OPERATE 4135 GL sub-s

1-31-83 F.R. 1-17-83 OWWO
 PD 5000 WO (San Andres)
 (Orig. Midwest Oil Corp., #1, D&A 2-8-70,
 OTD 10,700)
 WATER DISPOSAL WELL
 TD 10,700; PBD 5900; Complete
 CO to 5900
 Acid (4475-5900) 2500 gals
 2-5-83 COMPLETION ISSUED

2-1-25 NM
 IC 30-025-70003-83

COUNTY	LFA	FIELD	Wildcat	STATE NM	30-025-23391
OPR	MIDWEST OIL CORP.				
	1 Shell - State				
	Sec 32, T-14-S, R-34-E				
	1980' FSL, 1980' FWL of Sec.				
	Spd 1-2-70				
	Cmp 2-8-70				
	FORMATION		DATUM		CLASS
CSG & SX - TUBING					
11 3/4" at 400' w/400 sx					
8 5/8" at 4475' w/300 sx.					
LOGS EL GR RA IND HC A					
	TD 10,700' 1m & dolo				

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 10,700' TYPE
DATE

	F.R. 12-9-69; Opr's Elev. 4148' KB
	PD 10,700' (Pennsylvanian)
1-5-70	Drlg. 2835'
1-12-70	Drlg. 4660' 1m
1-19-70	TD 6829' 1m; On Trip
1-26-70	Drlg. 8993' 1m
2-2-70	Drlg. 10,313' 1m & sh
2-9-70	TD 10,700' 1m & dolo; Plugged & Abandoned (Holding for Tops)
	SP DST 10,490-524', open 10 min, Pkr Failed
	Rec 630' GIDP + 180' GCM, 1 hr 30 min ISIP 3883#,
	FP 79#, no FSIP
2-16-70	TD 10,700' 1m & dolo; PLUGGED & ABANDONED
	LOG TOPS: Anhydrite 1795', Yates 2883', San
	Andres 4436', Glorieta 5970', Tubb 7329',

IEA Wildcat NM Sec 32, T14S, R34E
MIDWEST OIL CORP. 1 Shell - State Page #2


2-16-70

Continued

Abo 8124', Wolfcamp Lime 9661', Saunders
10,398'

2-19-70

COMPLETION REPORTED



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

Shell ST
SWD #1-K
32-14-34

9-4

BR 5340

91

