

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry Hole	7. Unit Agreement Name
2. Name of Operator McGrath & Smith, Inc.	8. Farm or Lease Name Markham
3. Address of Operator 418 Building of the Southwest, Midland, Texas 79701	9. Well No. 1
4. Location of Well UNIT LETTER K 1980 FEET FROM THE West LINE AND 2150 FEET FROM THE South LINE, SECTION 23 TOWNSHIP 12-S RANGE 37-E NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) GL 3892 KB 3904	12. County Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 6-27-70. Cmt. 13 3/8 csg. at 352' with 325 sx. Circ. WOC 18 hrs. Tested 13 3/8 to 600 psi - OK. Drld. 11" hole to 4500'. Cmt. 8 5/8-24 & 32# csg. at 4500' with 450 sx. WOC 18 hrs. Tstd. 8 5/8 to 1000 psi - OK. Drld. 7 7/8 hole to TD 11,600' on 8-10-70. Spotted cmt. plugs as follows: 35 sx. at 11,600', 25 sx. at 9745', 25 sx. at 9185', 25 sx. at 7878', 25 sx. at 5920', 25 sx. at 4460'. Cut 8 5/8 at 1384' - pulled 43 jts. 1384' of 8 5/8 csg. Spotted 25 sx. at 1424', 25 sx. 300-400, 10 sx. in top 13 3/8 from 0-20. P & A complete at 4:00 pm, 8-12-70. Used Class H neat cement. Filled hole between plugs with 9.6# mud. Installed DHM. Location not cleaned - WO rig to move out.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John W. Runyan TITLE Sup't. DATE 8-13-70

APPROVED BY John W. Runyan TITLE Geologist DATE MAR 1 1971

CONDITION OF APPROVAL, IF ANY: