

NO. OF COPIES RECEIVED	
DISTRIBUTION	
NTA FE	
LE	
S.G.S.	
ND OFFICE	
ERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-101
Supersedes (Old)
C-102 and C-103
Effective 1-1-61

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
		5. State Oil & Gas Lease No.
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
Name of Operator Wainoco, Inc.		8. Firm or Lease Name Hodge, et al
Address of Operator Suite 600, 1100 Milam Building, Houston, Texas 77002		9. Well No. 1
Location of Well UNIT LETTER <u>P</u> <u>810'</u> FEET FROM THE <u>East</u> LINE AND <u>700</u> FEET FROM <u>South</u> LINE, SECTION <u>28</u> TOWNSHIP <u>12-S</u> RANGE <u>38-E</u> NMPM.		10. Field and Pool, or Wildcat S.W. Gladiola
15. Elevation (Show whether DF, RT, CK, etc.) 3,812' GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

FORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
ORDINARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

Set cement retainer at 9,696' and squeeze hole at 9702'. Could not circulate below cement retainer. Perforate 5½" casing at 9,682' to 9,686'. Acidized with 500 gallons. Swabbed drilling fluid. Set EZ Drill at 9,660'. Cemented with 30 sacks Class "H". Perforated 4 holes at 9,540'. Set retainer at 9,500'. Broke circulation to surface and cemented with 150 sacks Class "H". Perforated from 9,560' to 9,565' and 9,584' to 9,594'. Acidized with 2000 gallons acid. Installed production equipment and prep to test.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

J. W. Mulloy J. W. Mulloy TITLE Agent DATE 12-13-76
BY _____ TITLE _____ DATE DEC 16 1976
CONS OF APPROVAL, IF ANY: