

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Seay State
8. Well No. 1
9. Pool name or Wildcat Hightower, East
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4217 GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER Dry
2. Name of Operator OGR OGS Operating Co., Inc.
3. Address of Operator 550 W. Texas, Suite 1140, Midland, Texas 79701
4. Well Location Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line Section 30 Township 12-S Range 34-E NMPM Lea County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Displace 5-1/2" csg with 200 bbl 10# brine mud containing 6000# salt gel from 9087'.
2. Spot 30sx plug @ 9087'-8817'.
3. Spot 25sx plug @ 5508'-5283'.
4. Spot 30 sx plug @ 4130'-3860'. Tag plug @ 3882'.
5. Cut 5-1/2" csg @ 1452' & recover.
6. Spot 50 sx @ 1538'-1323'. Tag plug @ 1351'.
7. Spot 50 sx @ 391'-250'. Tag plug @ 235'.

Continued on attached sheet

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Michael D. Doherty TITLE Vice President-Drlg & Prod DATE 7-25-89

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

APPROVED BY Jack Griffin TITLE OIL & GAS INSPECTOR DATE JUL-25-1989

CONDITIONS OF APPROVAL, IF ANY:

Seay State #1 Continued

8. Spot 10sx plug @ 30' to surf.
9. Install dry hole marker & clean location.