DISTRIBUTION SANTA FE	NEW MEXICO OU CONSERVATION COMMISSION	Form C-103 Supersedes Old C-102 and C-103
FILE	NEW MEXICO OIL CONSERVATION COMMISSION	Effective 1-1-65
U.S.G.S.		5a. Indicate Type of Lease
LAND OFFICE		State X Fee
OPERATOR		5. State Oil & Gas Lease No.
OFERATOR	J	LG3818 & L5371
SINIO	DV NOTICES AND DEPORTS ON WELLS	111111111111111111111111111111111111111
OUNDK (DO NOT USE THIS FORM FOR PRO USE "APPLICAT  1.	RY NOTICES AND REPORTS ON WELLS  PROSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  TON FOR PERMIT -** (FORM C-101) FOR SUCH PROPOSALS.)	
OIL GAS WELL WELL	OTHER-	7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
R. L. Burns Corp.		State '32'
3. Address of Operator		9. Well No.
5110 First Internation	onal Bldg., Dallas, Texas 75270	# <b>1</b>
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER E	1980 FEET FROM THE North LINE AND 660 FEET F	Baum (Upper Penn)
	THE ONE THE PARTY OF THE PARTY	
THE West LINE, SECTION	ON 32 TOWNSHIP 13S RANGE 33E NO	MPM.
	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
	4260.7' GR	Lea
	Appropriate Box To Indicate Nature of Notice, Report or NTENTION TO:  PLUG AND ABANDON REMEDIAL WORK	ENT REPORT OF:
TEMPORARILY ABANDON	COMMENCE DRILLING OPHS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB X	Lead was appropriately [
	OTHER	ſ
OTHER		
•		
work) SEE RULE 1103.	perations (Clearly state all pertinent details, and give pertinent dates, inclu 24#, K-55 casing set at 4087.94', 11" hole, o	
work) SEE RULE 1703.  95 joints 8-5/8",		cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.
work) SEE RULE 1703.  95 joints 8-5/8",	24#, K-55 casing set at 4087.94', 11" hole, o	cemented with 1810 sx.

Engineering Supervisor

8-26-80

2 1980

CONDITIONS OF APPROVAL, IF ANY