

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-9505
7. Unit Agreement Name -
8. Farm or Lease Name New Mexico 'AT' State
9. Well No. 9
10. Field and Pool, or Wildcat Saunders - Permo Upper Penn
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator TEXACO Inc.
3. Address of Operator P. O. Box 728, Hobbs, New Mexico 88240
4. Location of Well UNIT LETTER M 860 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E N.M.P.M.
15. Elevation (Show whether DF, RT, GR, etc.) 4214' (GR)

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Perforate & Treat

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

TOTAL DEPTH 10,100'
PLUG BACK TOTAL DEPTH 10,065'.
13 3/8" OD 48# H-40 CSG SET @ 470'.
8 5/8" OD 24# J-55 CSG SET @ 4185'.
5 1/2" OD 17# & 15.5# J-55, N-80, & S-95 CSG SET @ 10,000'.

1. Perforate 5 1/2" Csg W/2-JSPF @ 10,013', 14, & 10,015'.
2. Set Pkr @ 9955'. Acidize 5 1/2" Csg perfs. 10,013'-10,015' W/1000 gals. 15% NE Acid Swab Well.
3. Acidize W/2500 gals. 15% NE Acid. Swab Well.
4. Perforate 5 1/2" CSG W/2-JSPF from 9898'-9901', & @ 9908', 10,25,27,58,60,65, & 9971'.
5. Acidize perfs. 9898'-9971' W/3500 gals. 15% NE Acid & 30 Ball Sealers.
6. Reset RBP @ 9874' & pkr @ 9745'.
7. Perforated 5 1/2" Csg W/2-JSPF @ 9806', 09,36,53,59, & 9861'.
8. Acidize perfs 9806'-9861' W/2500 gals. 15% NE Acid & 18 Ball Sealers.
9. Install production equipment. On 24 Hr. Potential test, ending 1-18-83, well flowed 366 BO, & 63 BW.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Asst. Dist. Mgr. DATE 1-19-83

APPROVED BY [Signature] TITLE OIL & GAS INSPECTOR DATE JAN 27 1983

CONDITIONS OF APPROVAL, IF ANY:

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-9505	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
TEXACO Inc.		New Mexico 'AT' State
3. Address of Operator		9. Well No.
P.O. Box 728, Hobbs, New Mexico 88240		9
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER M 860 FEET FROM THE South LINE AND 660 FEET FROM		Saunders-Permo Upper Penn
THE West LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E NMPM.		
15. Elevation (Show whether DF, RT, GR, etc.)		12. County
4214' (GR)		Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TOTAL DEPTH 10,100'
13 3/8" OD 48# H-40 Csg SET @ 470'
8 5/8" OD 24# J-55 CSG SET @ 4185'

1. Ran 10,085' (243 Jts.) 5 1/2" OD 17# & 15.5# J-55 N-80 & S-95 Csg & Set @ 10,100'.
2. Cemented 1st stage W/900 sx 'Lite' Cement containing 10# Gilsonite, 1# Flocele, & 6% Halad 9 per & 200 sx poz-mix, 6# gilsonite, 1# Flocele, & 8% Halad, -9 per sack.
3. With DV Tool open @ 7015' Cemented 2nd stage W/900 sx. 'Lite' Cement containing 10# Gilsonite, 1# Flocele, & 3% Halad -4 per sack. Cement circulated. Job complete 2:30 AM, 12-26-82. WOC in excess of 18 hrs.
4. Tested 5 1/2" OD Csg to 1500# for 30 minutes, 3:30-4:00 PM, 1-6-83. Tested OK. Job Complete 4:00 PM, 1-6-83.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Asst. Dist. Mgr. DATE 1-7-83

ORIGINAL SIGNED BY

APPROVED BY JERRY SEXTON TITLE DATE JAN 13 1983

CONDITIONS OF APPROVAL DISTRICT 1 SUPR.

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
B-9505

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Unit Agreement Name --
2. Name of Operator Texaco Inc.	8. Farm or Lease Name New Mexico "AT" State
3. Address of Operator P.O. Box 728, Hobbs, NM 88240	9. Well No. 9
4. Location of Well UNIT LETTER M , 860 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E NMPM.	10. Field and Pool, or Wildcat Saunders-Permo Upper Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4214' (GR)	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>


17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TOTAL DEPTH 4185'

13-3/8" OD 48# H-40 Csg set @ 470'

1. Ran 4170' (99 jts.) 8-5/8" OD 24# J-55 Csg & set @ 4185'.
2. Cemented w/1600 sx LW cement containing 5# gilsonite & 1/4# flocele/sk. Cmt circulated. Job complete 9:00 A.M., 12-9-82. WOC 18 hrs.
3. Tested 8-5/8" csg to 1000# for 30 minutes, 3:00-3:30 A.M., 12-10-82. Tested O.K. Job complete 3:30 A.M., 12-10-82.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED  TITLE **Asst. Dist. Mgr.** DATE **12-13-82**
ORIGINAL SIGNED BY **JERRY SEXTON**
APPROVED BY **DISTRICT 1 SUPP.** TITLE _____ DATE **DEC 13 1982**
CONDITIONS OF APPROVAL, IF ANY:

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
B-9505

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name -
2. Name of Operator TEXACO Inc.	8. Farm or Lease Name New Mexico "AT" State
3. Address of Operator P. O. Box 728, Hobbs New Mexico 88240	9. Well No. 9
4. Location of Well UNIT LETTER M, 860 FEET FROM THE South LINE AND 669 FEET FROM THE West LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E NMPM.	10. Field and Pool, or Whldcat Saunders-Permo Upper Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4214' (GR)	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SPUD 17½" HOLE, 6:00 PM, 12-1-82
TOTAL DEPTH 470'

1. Ran 455' (13 Jts.) 13 3/8" OD 48# H-40 Csg & Set @ 470'.
2. Cemented @/700 sx. Class 'H' Cement Containing 2% CaCl. Cement Circulated. Job Complete 5:00 AM, 12-2-82. WOC 18 Hrs.
3. Tested 13 3/8" Csg To 600# for 30 minutes, 11:00-11:30 PM, 12-2-82. Tested Ok. Job Complete 11:30 PM, 12-2-82.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Asst. Dist. Mgr. DATE 12-6-82

ORIGINAL SIGNED BY

APPROVED BY JERRY SEXTON TITLE DISTRICT SUPR. DATE DEC 8 1982

CONDITIONS OF APPROVAL IF ANY