

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT TO DRILL (FORM C-101) FOR SUCH PROPOSALS.		
OIL WELL ☒ GAS WELL ☐ OTHER ☐		7. Unit Agreement Name McDonald Unit
Name of Operator Harvey E. Yates Company		8. Farm or Lease Name
Address of Operator P. O. Box 1933, Roswell, New Mexico 88201		9. Well No. 3-Y
Location of Well UNIT LETTER <u>M</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>34</u> TOWNSHIP <u>13S</u> RANGE <u>36E</u> NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 3947.8 GL		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐ OTHER ☐	PLUG AND ABANDON ☐ CHANGE PLANS ☐ OTHER ☐
REMEDIAL WORK ☐ COMMENCE DRILLING OPNS. ☐ CASING TEST AND CEMENT JOB ☒ OTHER ☐	
ALTERING CASING ☐ PLUG AND ABANDONMENT ☐	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5/18/83 Drill 7 7/8" hole to 13,380'. Ran 5 1/2" csg, set @ 13006'.

79 jts	C75	20#/ft	8 RD	LT&C	3241.24
211 jts	N80	17#/ft	8 Rd	LT&C	7774.11
38 jts	C75	20#/ft	8 RD	LT&C	1558.64
10 jts	N80	20#/ft	8 RD	LT&C	432.83
338 jts					13006.82

Cmtd w/475 sxs c1 "H" cmt. RD rig 11:00 p. m. 5/18/83. WO Completion Orders.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ray F. John TITLE Reservoir Engineer DATE June 24, 1983

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR
APPROVED BY Jerry Sexton DATE JUN 28 1983

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐		7. Unit Agreement Name McDonald Unit
2. Name of Operator Harvey E. Yates Company		8. Farm or Lease Name
3. Address of Operator P. O. Box 1933, Roswell, New Mexico 88201		9. Well No. 3-Y
4. Location of Well UNIT LETTER <u>M</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>34</u> TOWNSHIP <u>13S</u> RANGE <u>36E</u> NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 3947.8 GL		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPERATIONS ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	OTHER <u>Indicating present status</u> ☒

16. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3/01/83 Drilling, depth-7485'.
3/14/83 Drilling, depth-10365'.
3/28/83 Drilling, depth-12451'.
4/07/83 Drilling, depth-13106'.
4/18/83 Drilling, depth-13713'.
4/29/83 Drilling, depth-14239'.
5/06/83 Drilling, depth-14780'.
5/14/83 Plug back, Circulate cement 2 1/2 hours, clean cmt out of drill pipe, ream & drill cement @ 13,000'.
5/16/83 Drilling, depth-13222'.
5/19/83 RD & release rig, depth 13,380', Cmt pkr shoe @ 13,184', circ 1 1/2 hours.
5/20/83 to WOCU.
5/24/83

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. J. Davis TITLE V. P. of Operations DATE May 25, 1983

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY

TITLE

MAY 27 1983

DATE

RECEIVED

MAY 26 1983

O.C.D.
HOBBS OFFICE

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT TO DRILL" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐		7. Unit Agreement Name McDonald Unit
Name of Operator Harvey E. Yates Company		8. Farm or Lease Name
Address of Operator P. O. Box 1933, Roswell, New Mexico 88201		9. Well No. 3-Y
Location of Well UNIT LETTER <u>X</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>34</u> TOWNSHIP <u>13S</u> RANGE <u>36E</u> NMPM.		10. Field and Pool, or Wildcat Wildcat
11. Elevation (Show whether DF, RT, GR, etc.) 3947.8 GL		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☒	OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work; SEE RULE 1103.

2/15/83 Spudded @ 9:30 a. m. Depth 373', Formation Surface Rock & Red Bed. Ran 10' jts (376.31') 13 3/8" OD 48# csg set @ 373'. Insert float valve @ 357.54', cmtd w/400 sx Class "C" w/2% kcl & 1/4#/sx flocele. WOC 18 hrs. Test csz to 1000 psi for 30 min. Hled o. k. Circ 100 sx cmt.

2/23/83 Drilling to 4600'. Ran 112 jts (4609.05') of 8 5/8" ST&C as follows:
63 jts 32# J-55 2519.46'
49 jts 24# J-55 2089.59'

Set @ 4600', cmtd w/1400 sx Halliburton lite cmt & 200 sx class "C" Neat PD @ 10:53 p. m., 2/22/83. Circ 135 sx to pit. WOC 18 hrs. Pressure test to 1000 psi for 30 min. Held o.k. Drilling ahead.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ray F. Sexton TITLE Reservoir Engineer DATE 2/22/83

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

DATE FEB 28 1983

RECEIVED

FEB 25 1983

O.C.D.
HOBBS OFFICE