9-28-83	WELL WELL MELL MELL	COMPLE GAS WELL PLUG BACK W Mexico 14-S RG d 17, Date	D 8824 SOM THE	O. BOX , NEW RECOM ORY ORY ONOTH Syra. O North eady to Pr 83	MEXICO 8 APLETION F OTHER OTHER	2303	FEET FROM	7. Unit Ac 8. Farm of New 1 9. Well No 12 10. Field Saunt Uppe:	TLease No.	ease No	State
DISTRIBUTION SANTA FE FILE U.S.O.S. LAND OFFICE OPERATOR 10. TYPE OF COMPLETION NEW YOUR WILL 2. Name of Operator TEXACO Inc. 3. Address of Operator P. O. Box 728, F. 4. Location of Well UNIT LETTER G LOCAY THE East LINE OF SEC. 22 15. Date Spudded 16. Date 9-28-83 10 20. Total Depth 10,009 24. Producing Interval(s), of this is 9791'-9944' - Pe 25. Type Electric and Other Logs	oll WELL X DEEPEN DOBB, Ne T.D. Reached 10, completion	COMPLE GAS WELL PLUG BACK W Mexico 14-S RG d 17, Date	D 8824 SOM THE	O. BOX , NEW RECOM ORY ORY ONOTH Syra. O North eady to Pr 83	2088 MEXICO 8 MPLETION F OTHER	2303	FEET FROM	7. Unit Ac 7. Unit Ac 8. Farm of New 1 9. Well No 12 10. Field Saunt Uppe:	TLease No.	ease No	State
SANTA FE FILE U.S.G.S. LAND OFFICE OPERATOR G. TYPE OF WELL b. TYPE OF COMPLETION NEW X WORK OVER . Name of Operator TEXACO Inc. . Address of Operator P. O. Box 728, F. . Location of Well hir Letter G Locat he East Line of Sec. 22 5. Date Spudded 16. Date 9-28-83 10 60. Total Depth 10,009 14. Producing Interval(s), of this sec. 9791-9944 - Pe 15. Type Electric and Other Logs	oll WELL X DEEPEN DOBB, Ne T.D. Reached 10, completion	GAS WELL PLUG BACK MEXICO 14-S RG d 17. Date	11-11-	RECOMENTAL OF THE PROPERTY OF	MEXICO 8 MPLETION F OTHER OTHER	2303	FEET FROM	7. Unit Ac 8. Farm of New 1 9. Well No 12 10. Field Saund Upper 12. Count Lea	greement No.	dame 'AN'	State
JUS.G.S. LAND OFFICE OPERATOR G. TYPE OF COMPLETION NEW X WORK WELL X OVER Name of Operator P. O. Box 728, F. Location of Well NIT LETTER G LOCAT HE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 10,009 1. Producing interval(s), of this sec. 9791-9944 - Pe	oll WELL X DEEPEN DOBB, Ne T.D. Reached 10, completion	GAS WELL PLUG BACK MEXICO 14-S RG d 17. Date	0 8824 80M THE E. 33-E Compl. (R. 11-11	ORY ORY ORY	OTHER	2303	FEET FROM	7. Unit Access of the second s	r Lease No. Mexico o. and Pool, ders Penn	dame AN'	State
LAND OFFICE OPERATOR G. TYPE OF WELL D. TYPE OF COMPLETION WORK WILL MOTH OF COMPLETION P. O. BOX 728, F. Location of Well NIT LETTER G. LOCAT HE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this 9791-9944 - Pe 6. Type Electric and Other Logs	oll WELL X DEEPEN DOBB, Ne T.D. Reached 10, completion	PLUG BACK Mexico Mexico 14-S RGI d 17, Date	0 8824 80M THE E. 33-E Compl. (R: 11-11-	ORY ORY ORY	OTHER OTHER	2303 vations (DF,	FEET FROM	7. Unit Ac. 8. Farm of New 1 9. Well No. 12 10. Field Saund Uppe:	mr Lease No. Mexico and Pool, ders Perr Penn	AN'	<u> </u>
OPERATOR a. TYPE OF WELL b. TYPE OF COMPLETION MEW MORK WILL MOORE . Name of Operator P. O. Box 728, F. . Location of Well NIT LETTER G LOCAT ME East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this 9791-9944 - Pe 6. Type Electric and Other Logs	oll WELL X DEEPEN DOBB, Ne T.D. Reached 10, completion	PLUG BACK Mexico Mexico 14-S RGI d 17, Date	0 8824 80M THE E. 33-E Compl. (R: 11-11-	ORY ORY ORY	OTHER OTHER	2303 vations (DF,	FEET FROM	7. Unit Ac 8. Farm of New 1 9. Well No 12 10. Field Saunt Uppe:	mexico ond Pool, ders Penn	AN'	<u> </u>
TYPE OF WELL b. TYPE OF COMPLETION WELL X WORK WILL X WORK WILL X WORK TEXACO Inc. Address of Operator P. O. Box 728, F. Location of Well NIT LETTER G LOCAT ME East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing interval(s), of this in the sec. 9791'-9944' - Pe 5. Type Electric and Other Logs	Jobbs, New 198 TWP. T.D. Reacher 10, 22-83 21. Plug Back 10, completion	PLUG BACK MEXICO 14-S RG 17, Date T.D.	8824 8 8 8 2 4 8 6 0 8 8 2 4 8 6 0 8 8 2 4 8 7 11 - 11 - 12 2 2 1	North Superscript of the seady to Price 83	OTHER LINE AND	vations (DF,	RKB, RT,	8. Farm of New 1 9. Well No 12 10. Field Saund Upper	mexico ond Pool, ders Penn	AN'	·· <u>·</u>
TEXACO Inc. Address of Operator P. O. Box 728, F. Location of Well SIT LETTER G LOCAT HE East LINE OF SEC. 22 5. Date Spudded 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this sec. 9791'-9944' - Pe 6. Type Electric and Other Logs	Jobbs, New 198 TWP. T.D. Reacher 10, 22-83 21. Plug Back 10, completion	PLUG BACK MEXICO 14-S RG 17, Date T.D.	8824 8 8 8 2 4 8 6 0 8 8 2 4 8 6 0 8 8 2 4 8 7 11 - 11 - 12 2 2 1	North Superscript of the seady to Price 83	OTHER LINE AND	vations (DF,	RKB, RT,	New 1 9. Well No 12 10. Field Saund Uppe:	mexico ond Pool, ders Perr	'AN'	·· <u>·</u>
Name of Operator TEXACO Inc. Address of Operator P. O. Box 728, F. Location of Well SIT LETTER G LOCAT BE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this sec. 9791'-9944' - Pe 6. Type Electric and Other Logs	Jobbs, New 198 TWP. T.D. Reacher 10, 22-83 21. Plug Back 10, completion	PLUG BACK MEXICO 14-S RG 17, Date T.D.	8824 8 8 8 2 4 8 6 0 8 8 2 4 8 6 0 8 8 2 4 8 7 11 - 11 - 12 2 2 1	North Super	OTHER LINE AND	vations (DF,	RKB, RT,	New 1 9. Well No 12 10. Field Saund Uppe:	mexico ond Pool, ders Perr	'AN'	··· ···
Name of Operator TEXACO Inc. Address of Operator P. O. Box 728, F. Location of Well NIT LETTER G LOCAT BE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this sec. 9791'-9944' - Pe 5. Type Electric and Other Logs	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	Mexico Mexico 14-S Ro	8824 8824 80M THE E. 33-E Compl. (Re 11-11-	North North North North North	LINE AND	vations (DF,	RKB, RT,	9. Well No. 12 10. Field Sauni Uppe:	and Pool, ders Penn	or Wilde	··· ···
TEXACO Inc. Address of Operator P. O. Box 728, F. Location of Well FIT LETTER G LOCAY AE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 6. Total Depth 10,009 4. Producing Interval(s), of this 9791'-9944' - Pe 6. Type Electric and Other Logs	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	Mexico 14-S RG 17. Date	8824 80M THE 8 33-E Compl. (Re 11-11-	North North North New Price of	LINE AND	vations (DF,	RKB, RT,	12 10. Field Saund Uppe: 12. Count Lea	and Pool, ders Per r Penn	or Wildo	at .
Address of Operator P. O. Box 728, F. Location of Well FEAST LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 6. Total Depth 10,009 4. Producing Interval(s), of this sec. 9791'-9944' - Pe	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	14-S RG	33-E Compl. (R) 11-11-	North North NMPM eady to Pr		vations (DF,	RKB, RT,	10. Field Saund Uppe:	ders Penn	or Wilde	at
Address of Operator P. O. Box 728, F. Location of Well FILETTER G LOCAT BE East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this sec. 9791'-9944' - Pe 6. Type Electric and Other Logs	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	14-S RG	33-E Compl. (R) 11-11-	North North NMPM eady to Pr		vations (DF,	RKB, RT,	Saun Uppe:	ders Penn	or Wilde	
Location of Well FIT LETTER G LOCAY FERST LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 6. Total Depth 10,009 4. Producing Interval(s), of this 9791'-9944' - Pe	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	14-S RG	33-E Compl. (R) 11-11-	North North NMPM eady to Pr		vations (DF,	RKB, RT,	Uppe:	r Penn		
Location of Well Fir Letter G LOCAY Fir East LINE OF SEC. 22 5. Date Spudded 16. Date 9-28-83 10 6. Total Depth 10,009 4. Producing Interval(s), of this 9791'-9944' - Pe 6. Type Electric and Other Logs	TWP. T.D. Reached 1-22-83 21. Plug Back 10,	14-S RG	33-E Compl. (R) 11-11-	North North NMPM eady to Pr		vations (DF,	RKB, RT,	Lea			
16. Date Spudded 16. Date 9-28-83 10. Total Depth 10,009' 4. Producing Interval(s), of this control of the second state of th	T.D. Reaches 1-22-83 21. Plug Back 10, completion	14-S RG	Compl. (R)	NMPM eady to Pr		vations (DF,	RKB, RT,	Lea			
5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this 6	T.D. Reaches 1-22-83 21. Plug Back 10, completion	14-S RG	Compl. (R)	NMPM eady to Pr		vations (DF,	RKB, RT,	Lea			/////
5. Date Spudded 16. Date 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this 6	T.D. Reaches 1-22-83 21. Plug Back 10, completion	14-S RG	Compl. (R)	NMPM eady to Pr		vations (DF,	RKB, RT,	Lea			77777
5. Date Spudded 9-28-83 10. Total Depth 10,009 4. Producing Interval(s), of this of the second secon	T.D. Reached 0-22-83 21. Plug Back 10, completion	d 17, Date	11-11- 22.	eady to Pr .8 3	od.) 18. Ele					/////	
5. Date Spudded 9-28-83 10 0. Total Depth 10,009 4. Producing Interval(s), of this series of the ser	T.D. Reached 0-22-83 21. Plug Back 10, completion	d 17, Date	11-11- 22.	eady to Pr .8 3	od.) 18. Ele			GR, etc.) 11		77777	77777.
0. Total Depth 10,009 4. Producing Interval(s), of this 9791'-9944' - Pe 5. Type Electric and Other Logs	21. Plug Back 10, completion	000°	22.			אוזכיוו			9. Elev. C	ashinghe 200 t	:ad
10,009' 4. Producing Interval(s), of this 9791'-9944' - Pe 5. Type Electric and Other Logs	10,	0001	22.			<u>_</u>	(GR)			208'	
9791'-9944' - Pe	completion -		4	II Multiple Many	Compl., How	23. Intervo		0-10,009	1		-0-
9 791'-9944' - Re								3-10,009	25, Was		
6. Type Electric and Other Logs		1 op, Botton	i, Name						Made		
6. Type Electric and Other Logs	nn									No	
	Run Gamn	na Rav -	Comper	sated	Neutron.	Compensa	ted	27.	. Was Well	Cored	
						•			•	No	
8.					rt all strings s	et in well)					
CASING SIZE WEIGH	IT LB./FT.	DEPTH	SET	HOL	ESIZE	СЕМЕ	NTING RE	CORD	AN	OUNT F	ULLED
13 3/8" 54	5#	52	5'	17불'		6	50 SX.			-(0-
8 5/8" 24	[#] & 32#	420		121		·	00 SX.				O-
5 ½" 17	<u> </u>	10,00	9'	7 7	'8"	21	50 SX.			(0-
		<u> </u>									
3.	LINER	RECORD				30.		TUBING RE	CORD		
SIZE TOF	8	оттом	SACKS C	EMENT	SCREEN	SIZE 2		ертн seт 9961'		PACKER	
			ļ				1/6	9901		Non	<u> </u>
1. Perforation Record (Interval,		Dorf	53m C	30	32. AC	I CID, SHOT, F	PACTURE	CEMENT	SOUFFZE	FTC.	
W/2 JSPF from 9	120 ana namo 1931-983:	9882	1-9890	:	DEPTH IN			OUNT AND			JSED
& 9928'-9944'.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , ,	, ,-,-,	•	9791'-			gals 15% NE Acid,			
<i>w</i> ///							150#	Rock Salt & 100			
							Ba.11	Sealers			
33,					ICTION						
oute First Production					ng - Size and i	ype pump)		1	itus (Prod.	or Shut-	in)
11-10-83	Pum	ping (1	1 Pum						lucing		
Date of Test Hours To	sted C	hoke Size	Prod'n. Test Pe		Dil — Bbl. 기술문	Gas MC	1	ater – Bbl.	Gas -	Oil Raile	
11-12-83 24				>	136	261		203	J. C ::	189	
low Tubing Press. Casing l		Calculated 24 Iowr Rate	4- OII — B	_	Gas - MC 261		ater – Bbl 20	l l	Oll Gravity	42.5	Corr.)
- 10 10 - 10 - 10 - 11	- I -	red are 1	> 130					est Witnessed			
4. Disposition of Gas (Sold, use	! for final ::	ea, etc.)					1.		A. Gern	andt	
5 . 62	l for fuel, ven									·	
Sold	l for fuel, ven	· · · · · · · · · · · · · · · · · · ·									
	l for fuel, ven										
Sold 5. List of Attachments 6. I hereby certify that the information of the control of the con	· · · · · · · · · · · · · · · · · · ·	on both side	s of this h	orm is tru	and complete	to the best of	my knowl	edge and bel	i e f.		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

		Souther		New Mexico					in mexico
		1635	т	Canyon	T. Oio	Alamo		т.	Penn. "B"
T. Anhy_		1777	T	Strawa	T. Kirt	land-Frui	tland	Т.	Penn. "C"
T. Salt _		2490	190 T Atoka			ured Clif	fs	Т.	Penn. "D"
B. Salt _		2074	I.	Miss	T Clif	f House -		T.	Leadville
T. Yates			1. T	Devonian	T Men	efee		т.	Madison
T. 7 Rive	ers								
T. Queen	·		T.	Siluri an	T Man	cos		Т.	McCracken
T. Grayb	-	4108	T.	Simpson	. I. Maii T. Cali			т	Ignacio Otzte
T. San A	ndres								
T. Glorie	ta		т.	McKee	Base Gr	eennom.		— ^.	
T. Paddo	ck		т.	Ellenburger	. I. Dak			т	
T. Blinel	bry		т.	Gr. Wash	. T. Mor	rison ——		т	
T. Tubb.			Т.	Granite	. T. Too	ulto		^.	
T. Drink	ard		Т.	Delaware Sand	T. Ent	rada		1.	
T. Abo		9311	T.	Bone Springs	T. Win	gate		1.	
T. Wolfc	amp		Т.	Botte opinigo	T. Chi	nle		T.	
T. Penn.		9779	Т.		T. Per	mian		T.	
T Cisco	(Bough C	·	T.		T. Per	n. ''A''-		Т.	
_				OIL OR GAS	SAND:	S OR Z	ONES		
No 1 (mn				to	No. 4,	from	• • • • • • • • • • • • • • • • • • • •		to
110. 1, 110.									. ·
No. 2, fron	o. 2, fromto				No. 5,	rom	16005077777777	,	
	o. 3, fromtoto					[rom		to	
No. 1, from	n	************		to		************	feet.	*********	
No. 2, from	n			to					
				to					
No. 4. from	n			to			fcct.	**********	· · · · · · · · · · · · · · · · · · ·
				FORMATION RECORD (Attack	h additio	nal sheet	s if necessar	у)	
		ms : «1			1		Thickness		Pagentia
From	То	Thickness in Feet		Formation .	Fron	To	in Feet	ļ	Formation
0	1500	1500		Red Bed	#				
1500	1 :	920		Salt					
2420		420		Anhydrite				<u> </u>	
2840		1 1		Lime				1	
4200	1	335		Lime & Anhydrite		1			
4535		615		Lime & Annyarioe					
51 50		1080		Line & Shale					
6230		1116		I,ing					
7346		2229		Lime & Shale					RECEIVE-
		434		Lime				1	*** 3
77171	0,009	7,34		TITHE	H			1	NOV 17 1983
-	0.000			TOTAL DEPTH				1	17 1983
	0,009			PBTD	ll l			į .	
j	0,000			עיניב				1	HCREST B.
								'	HCBES UPFICE
	1	1						1	- 106

The un Irilling c	hdersigned ontractor w	hereby ce	NCO Drilling, ertifies that h I the above-d ne following r	e is an authorized rep escribed well and that	resentative of the he has conducted
egrees a	and Depth	Degrees	and Depth	Degrees and Depth	Degrees and Depth
3/4	300	3/4	5980		
3/4	525	1/4	6266		•
1	1053	1/2	6709		•
3/4	2020	1/2	7200		•
1	2650	3/4	7445		
1 3/4	3023	1.	7845		
1 1/2	3476	3/4	8060		
1 3/4	3986	3/4	8224	-	
1	4200	1/2	8626		
1/4	4462	1/2	9091		
1/2	4951	3/4	9529		
3/4	5470	1	10,000		
Subscrib	oed and swo		illing Contractors 2 ore me this 2	By // Cles Le	Inc. Luck keting Manager 198