

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBS OFFICE DUPLICATE

1957 FEB 22 PM 3:36

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Gulf Oil Corporation Chaves State "D"
(Company or Operator) (Lease)

Well No. 5, in NW 1/4 of SE 1/4, of Sec. 27, T. 14-S, R. 31-E, NMPM.
Caprock-Queen Pool, Chaves County.

Well is 1650 feet from South line and 990 feet from East line
of Section 27-14-31. If State Land the Oil and Gas Lease No. is B-8459

Drilling Commenced 1-25, 1957. Drilling was Completed 2-3, 1957.

Name of Drilling Contractor P. W. Miller Drilling & Production Co.
Address Box 5613, Roswell, New Mexico

Elevation above sea level at Top of Tubing Head 4424'. The information given is to be kept confidential until
-, 19-.

OIL SANDS OR ZONES

No. 1, from 3095' to 3106' No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24#	New	257'	Baker			Surface Pipe
4-1/2"	9.50#	New	3088'	Baker			Production String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	267'	150	Pump & Plug		
7-7/8"	4-1/2"	3095'	75	Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Result of Production Stimulation Flowed 520 bbls oil, no water thru 2-3/8" tubing 24 hours.

Depth Cleaned Out

JORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3106 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing February 5, 19 57.

OIL WELL: The production during the first 24 hours was 520 barrels of liquid of which 100 % was
was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I.
Gravity 35.6

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen 3095'	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	7		Distance from Top Kelly				DEVIATION - TOTCO SURVEY 1/2 - 2400' 1/2 - 2738'
	273		Drive Bushing to Ground				
	838		Caliche and Red Bed				
	1410		Red Bed				
	1582		Red Bed and Anhydrite				
	2361		Anhydrite				
	3097		Anhydrite and Salt				
	3106		Anhydrite				
			Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

February 19, 1957

(Date)

Company or Operator Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

Name

Position Area Supt. of Prod.